

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.89

WETSEL'S Seed Catalogue, 1943



LIBRARY
RECEIVED
★ MAR 11 1943 ★
U. S. Department of Agriculture

U.S. 13 Adaptable HYBRID SEED CORN
Carefully Grown, Selected, Graded, Treated. Again the Best


THE WETSEL SEED COMPANY, Inc.
Dependable Seeds Since 1911

HARRISONBURG • VIRGINIA

Farmers Benefit by WETSEL SERVICE

Our Business ... and HOW IT GREW

THE Wetsel Seed Company is the outgrowth of some experiments conducted by D. M. Wetsel, Sr., back in 1902. On his 15-acre farm Mr. Wetsel began to experiment with seed corn varieties to determine which ones were best adapted to this climate. When he moved to a larger farm a few years later he continued his trials, and soon became known as a breeder of seed corn. His exhibits at county and state fairs won numerous honors and helped to widen the circle of his acquaintances. Gradually Mr. Wetsel added other farm and garden crops and sent out a Seed Wagon to display his seed.



D. M. WETSEL, Founder

... and a basket of French-American Tomatoes, which he developed.

In 1911 a small store was opened under the name of D. M. Wetsel & Son. From this simple beginning the firm has expanded into one of the most modern seed-houses in the state. With our equipment that permits cleaning, storing, and distributing seeds of all kinds, we are ready to serve dealers, farmers, and truckers, as well as home gardeners. For more than 25 years we have carried poultry supplies, insecticides, fungicides, garden and lawn fertilizers.



OUR PRESENT STORE and WAREHOUSE

Our Service to You

THE steady growth of the Wetsel Seed Company through the years is largely due to the direct benefits which our customers have received from dealing with us:

1. Our large stock of dependable seeds and farm supplies enables dealers, farmers, and gardeners to supply their needs as they arise, instead of being compelled to order far in advance of the season. Large or small orders are given the same careful attention.
2. Unnecessary freight and handling charges are eliminated through the purchasing of car-lot quantities from growers; this saving we are able to pass on to our customers.
3. The seed-cleaning equipment which we have installed has enabled farmers over a large area to grow many of their own seeds and grains, and to sell us their surplus crops at top market prices. Many thousands of bushels of Clovers, Orchard Grass, Lespedeza, and other grasses now find a ready cash market here. Through our long experience and cleaning and treating facilities, farmers are able to sell us for seed large quantities of wheat, barley, oats, rye, and other crops which otherwise would have to be sold at milling and feed prices. We have helped to make Harrisonburg the seed center for a large farming area.

The same high-quality seed and careful service which built up the business from the beginning is still at your command. We are ready to be of any possible service to our customers.

THE WETSEL SEED CO., Inc., Harrisonburg, Virginia

WETSEL'S Dependable FARM SEEDS

General Information

Avoid mistakes and misunderstandings by carefully observing these instructions!

We pay the postage on all vegetable and flower seeds except where otherwise specified. Field seeds and miscellaneous supplies are priced f.o.b. Harrisonburg, Va., but if desired by mail, add postage at the rate of 8 cents for the first pound, 1 cent for each additional pound. We guarantee safe delivery of the goods to your home.

Be sure to sign your name, post office, rural route and state on every order. Give the nearest express office if order is to be sent by express. Write plainly.

All Farmers and Gardeners of experience know that success with seeds depends largely on weather conditions and proper cultivation, so in accordance with the universal custom of the trade, THE WETSEL SEED CO., INC., gives no warranty, expressed or implied, as to the description, quality, productiveness or any other matter of any seeds, bulbs, plants or roots they send out, and they will not be in any way responsible for the crop.

Concerning Prices in this catalogue. It is a matter of common knowledge that Field Seeds, such as clovers, grasses, grains, potatoes, etc., fluctuate in price from month to month; on occasions from week to week, consequently that all quoted prices are subject to change.

This year, owing to conditions resulting from war throughout the world, excessive rains in certain producing sections, notably near the west coast, and extreme lack of moisture over a wide area of the country, prices of all items are subject to change and being unsold.

Large-scale buying by the U. S. Government, for export to England, has depleted supplies of several kinds of field seeds. Certain varieties of vegetable seeds, especially beets and cucumbers, are acutely short this season. These circumstances, coupled with a general advance in all prices, have resulted in a sharp rise in some items. In a few instances, it will doubtless be impossible to obtain stocks for the entire planting season.

Sow 20 to 25 lbs. to the acre in March or April

Well-drained loam or clay soil, with no hardpan underneath, will grow Alfalfa when properly prepared. Lime should be applied to soil that is too acid. Two to five tons of ground limestone per acre is recommended; half of this quantity of burnt lime after plowing. A firm seedbed is essential for a good stand of Alfalfa, and the soil should, therefore, be prepared well ahead of planting time. Harrow the land frequently to destroy all weeds.

Alfalfa needs fertilizer rich in phosphoric acid and potash. When seeding, apply 600 to 800 lbs. or more of 0-14-6 fertilizer per acre, increasing the amount of potash on sandy soil. Top-dress established plantings each spring with 300 to 400 lbs. of 0-12-12 fertilizer per acre. Best results come from having the soil tested and adding the elements needed.

Inoculate with Nitragin

Alfalfa seed treated with Nitragin grows more rapidly, matures in a shorter time, produces bigger crops, and enriches the soil for the benefit of the next crop. It costs only 15 to 20 cents to inoculate enough seed for a whole acre, and the results obtained are well worth while. See page 11 for complete information concerning Nitragin, including prices.

Kansas Alfalfa—U. S. Verified

The most popular strain of Alfalfa in the East. Being grown in Kansas, where severe winters often prevail, it rarely winter-kills. In trials at the Virginia Agricultural Experiment Station, it yielded 4½ tons per acre. It starts to grow early in the spring and provides several cuttings during the season. Lb. 45 cts.; bus. \$26.50.

ALFALFA

Oklahoma-Kansas Alfalfa

Produced near the border of Oklahoma and Kansas, and therefore satisfactory for states with a similar climate, such as Virginia and North Carolina. In the southern half of the country it generally survives the winters and yields well. Lb. 44 cts.; bus. \$25.50.

Grimm Alfalfa

In sealed bags. Widely recognized as the hardest strain of all. With its deep branching root-system, the plant gets a firm hold on the soil, which usually prevents heaving from alternating freezes and thaws. Is also adapted to shallow soils, where subsoil is near the surface. In mountain regions where winters are severe, Grimm is the kind to plant.

Oklahoma Grimm. Lb. 45 cts.; bus. \$26.50.
Kansas Grimm. Lb. 47 cts.; bus. \$27.50.

Argentine Alfalfa

Produced in sections of Argentina with a climate almost identical with that of commercial growing areas in this country. We regard it as superior to Alfalfa seed produced in certain parts of this country, such as the warm Southwest. Has given excellent results in pasture mixtures and where soil is being prepared for a permanent stand of Alfalfa. Lb. 32 cts.; bus. \$18.50.

SPRING BARLEY

The straw makes excellent green feed for all kinds of stock and when cured is good hay. The grain is about equal to corn in feeding value. Sow 2½ bushels per acre broadcast, or 1½ to 2 bushels per acre if drilled. Bus. \$1.60.



A section of loading floor of main warehouse, showing a large stock of a wide assortment of field seeds



ALFALFA

CLOVER

Red Clover

Has long been the leading Clover, especially where crops are rotated. It matures so early that it may be followed by a second crop such as additional hay, late pasture, or a cash crop from seed for which there is usually a ready demand. It adds nitrogen to the ground it grows on if left there to mature, and for this reason is a real benefit to the land. Sow 10 to 12 lbs. per acre.

Western Grown. Lb. 33 cts.; bus. \$19.00.

Imported Seed. Lb. 26 cts.; bus. \$15.00.

Mammoth or Sapling Clover

Widely used for seeding with timothy and then cut as hay. Maturing later than Red Clover, it ripens more uniformly with timothy. Produces a larger growth, resulting in greater tonnage on a given area. Sow 10 to 12 lbs. per acre.

Western Grown. Lb. 31 cts.; bus. \$18.00.
Imported Seed. Lb. 26 cts.; bus. \$14.50.

Crimson or Scarlet Clover

One of the best crops for green manuring, and furnishes fine pasture in fall, winter, and spring. It improves poor land and through its nitrogen-gathering properties, restores the fertility of those that have been worn down by excessive cropping. May be planted in fall, spring, or summer. Sow 15 lbs. to the acre. Lb. 14 cts.; bus. \$8.00.

Ladino Clover

Although not yet extensively used in this territory, Ladino is becoming more popular, for it produces an excellent pasture. It is a perennial plant, sending up large leaves on long stems, which soon cover the ground between plants. Farmers are using it to pasture their cattle, and many poultrymen are planting Ladino for ranges. Lb. \$1.05; 5 lbs. \$5.00.

Unhulled Sweet Clover

Unhulled seed can be planted earlier—in January or February. Sow 20 to 25 lbs. per acre. This earlier sowing usually results in a quicker start in the spring and often a more dense growth.

White or Yellow Unhulled seed. Lb. 11 cts.; 60-lb. bus. \$6.00; 100 lbs. \$10.75.

White Dutch Clover

For Lawns and Pastures. Produces a low, compact growth, covering the ground like a carpet, but is more satisfactory when used in mixtures with other grasses. Sow in spring or fall, 8 to 12 lbs. per acre if planted alone. Lb. 80 cts.; 5 lbs. \$3.75.

Kent County Wild White Clover

A variety that provides excellent grazing for beef cattle. Has a very thick root system that makes it a fine pasture grass. When used with other grasses, it helps them to make a better stand. Lb. \$1.35.

Alsike Clover

A very hardy Clover that is growing more popular in recent years because it frequently takes hold where other Clovers fail, especially in low, wet soil or high gravel ground. It provides desirable hay, and is excellent for improving the soil. Sow 8 lbs. to the acre.

98.50% purity. Lb. 33 cts.; bus. \$19.00.

97.00% pure Alsike. Lb. 32 cts.; bus. \$18.50.

Cyclone Seed Sower

\$2.20 postpaid; \$2.00 not postpaid.

Horn Sower

\$1.00 postpaid; 90 cts. not postpaid.



CLOVER

LESPEDAZA

Korean Lespedeza

Makes an excellent hay crop 10 to 20 inches tall, and equal to alfalfa in analysis and feed value. Requires no soil preparation and even when closely grazed it grows readily in acid land. Produces two to three tons of hay per acre each year and reseeds itself if properly cut. Korean Lespedeza makes the best and cheapest pasture in midsummer, for it is practically drought-resistant. It can be cut for hay in September and put in the barn 24 hours after cutting. It increases soil fertility and costs less to produce than other important legumes. Sow on small grains or on pasture land from January 15 to April, 20 lbs. per acre.

Dodder-free seed. Lb. 10 cts.; 100 lbs. \$9.50.

2 Dodder per oz. Lb. 10 cts.; 100 lbs. \$9.00.


4 Dodder per oz. Lb. 9 cts.; 100 lbs. \$8.50.

Sericea Lespedeza

A drought-resistant soil-improver adapted to almost any type of soil. It requires a year to get started, but after that will yield two to four tons of field-cured hay per acre each year. Sow 30 to 35 lbs. of unhulled seed per acre from January through March; 20 lbs. of hulled or scarified seed in April or May.

Hulled Seed. Lb. 26 cts.; 100 lbs. \$25.00.

Unhulled Seed. Lb. 20 cts.; 100 lbs. \$19.00.



LESPEDAZA

SEED OATS

Sow 64 to 90 lbs.
per acre

Oats and other grains yield larger crops of better quality when treated with Ceresan to control smut and other diseases. Since we are well equipped to treat Oats during the process of cleaning and grading; the additional cost is very slight. See page 11 for more detailed information on Ceresan and other Du Bay products.



Columbia Spring

The leading spring Oats for the Southeast, for it matures before hot weather and rust can cause damage, and is usually taller, more uniform and erect. Produces a good yield of large, heavy heads containing plump grains, 7 to 10 days before other varieties. Treated seed, bus. \$1.00; 10-bus. lots, 98 cts. per bus.

Fulgrain


Rather new in this section, but promises to become popular for spring planting. Yields as much as 80 bushels or more per acre, and is cold and smut-resistant. Matures early and stools well; vigorous growth. Treated seed, bus. \$1.25.

Lee Coldproof

The most popular winter Oats but has also given good results when planted in late February or early March. Large heads of heavy grain. Sow 2 bushels per acre. Treated seed, bus. \$1.25; 10-bus. lots, \$1.23 per bus.

Swedish Select

A heavy-yielding, extra-heavy variety that is especially recommended for Virginia and West Virginia. Produces a good crop of both hay and grain on either light or heavy soil. Tall stalks and large heads of plump, heavy grains. Treated seed, bus. \$1.00; 10-bus. lots, 98 cts. per bus.



In this room such noxious weeds as dodder and buckhorn are removed from Clovers, Lespedeza, etc. Here, also, we grade and treat, for disease resistance, Wheat, Corn, Oats, Barley and other grains.



SUDAN GRASS

Orchard Grass

A vigorous grass planted extensively by horse and cattle raisers, for it provides good grazing from spring until winter. If desired for hay it should be cut while in bloom; it will be ready for grazing again within a few weeks. Grows well in shady locations. Sow 14 lbs. per acre.

82/85 onion-free seed. Lb. 33 cts.; 14-lb. bus. \$4.50.

85/85 seed. Lb. 32 cts.; bus. \$4.30.

Kentucky Blue Grass

One of the earliest grasses in spring, yielding valuable pasturage if planted on limestone or stiff soil. Since it requires a year or two to become firmly established, it is best to sow Blue Grass with other varieties. It is the base of all good lawn grass mixtures, and withstands the coldest winters. Sow 35 lbs. per acre, in spring or fall. Lb. 25 cts.; 14-lb. bus. \$2.80; 8-bus. (112 lbs.) bag, \$2.75 per bus.

Timothy

Well-known grass doing best on bottom lands, rich moist loams, and clay soil, but not on loose, sandy ground. Makes a good pasture when sown at the rate of 6 lbs. per acre, along with 6 lbs. sapling clover and 4 lbs. red-top. If sown alone, plant one peck (about 11 lbs.) per acre, in spring or fall. For hay, use 6 lbs. timothy and 6 lbs. clover.

99.60% pure. Lb. 8 cts.; bus. \$3.25.

99% pure. Lb. 8 cts.; bus. \$3.20.

Red-Top or Herds Grass

Adapted to a wider range of soils than any other grass, but especially good on heavy, wet bottom land. Should always be included in mixtures for such types of land, whether for hay or for pasture. Sow 12 lbs. per acre if used alone. Lb. 13 cts.; 25 lbs., 12 cts. per lb.; 100 lbs. (full bag), 11½ cts. per lb.

WETSEL'S

dependable
GRASSES
and
GRASS MIXTURES

Pasture Mixture

For a good pasture mixture, we recommend the following: 7 lbs. Korean lespedeza, 6 lbs. orchard grass, 3 lbs. red-top, 2 lbs. alsike clover. Sow in February and March on small grain crops or old sod. Approximate cost per acre, \$3.65.

Brome Grass

A long-lived perennial grass producing many underground rootstocks and making mats a foot or more in diameter. Most desirable for permanent pastures. Does best when sown broadcast in the spring, usually at the rate of 20 to 25 lbs. per acre, but can also be sown in the fall with timothy and red-top. Lb. 22 cts.; 25 lbs. \$5.25.

Sudan Grass

A rapidly growing summer forage crop that can be cut several times during the season. Will produce more forage in a shorter time than almost any other crop. Sow 10 lbs. per acre in rows 18 inches apart, and cultivate, or broadcast at the rate of 20 to 25 lbs. per acre. Often sown with soybeans, using 20 lbs. of Sudan Grass and 1 bushel of soybeans per acre. Lb. 7 cts.; 50 lbs. \$3.25; 100 lbs. \$6.25.

Rye Grass (Italian or Domestic)

Well suited to winter lawns and for sowing on land infested with crab-grass. With proper moisture, will germinate in 6 to 8 days. Sow 30 lbs. per acre. Good results come from seeding in the fall and close clipping in the spring. Also excellent pasture and land-improver. Lb. 11 cts.; 25 lbs., 10 cts. per lb.; 100 lbs., 9 cts. per lb.

Tall Meadow Oat Grass

Withstands the heat and drought of midsummer and the cold of winter. Starts growing early in spring and affords good grazing until late fall. If sown alone, use 18 to 22 lbs. per acre. In mixture, use 8 lbs. each of Oat Grass, orchard grass, and red clover. Lb. 20 cts.; 100 lbs. \$19.00.

STALEYMONE, the new growth-promoting material, is decidedly beneficial when used on grass seed. It helps to produce strong, vigorous plants capable of withstanding dry weather. Eight ounces of Staleymone per bushel of grass seed gives best results. See page 10.



Section of an upper floor of main warehouse.

Hairy Vetch

Valuable as a winter cover crop to fertilize the soil, to prevent leaching, and also to furnish forage. A good mixture often used in the spring is 15 lbs. Vetch and 1½ bus. oats per acre. If sown alone, plant 50 to 60 lbs. per acre. Lb. 15 cts.; bus. (60 lbs.) \$8.40.

Dwarf Essex Rape

Extensively used as pasture for cattle, sheep, hogs, and poultry. In a good season will continue to grow after being grazed. Sow in spring, 4 to 5 lbs. per acre in rows or 8 to 10 lbs. when broadcast. Lb. 14 cts.; 10 lbs. \$1.30; 50 lbs. \$6.00.



MILLET



COWPEAS

Millet

Tennessee Cultivated strain, very popular in this vicinity. Millet requires fertile soil and good growing conditions, when it will produce an abundance of forage. Sown with cowpeas or soybeans, use 3 to 5 lbs. per acre, or 30 lbs. per acre if seeded alone for hay. Where a seed crop is desired, sow only 20 lbs. Drill or broadcast from May to July. Lb. 8 cts.; bus. \$3.50.

Golden Millet. Lb. 7 cts.; bus. \$3.00.

COWPEAS

A highly nutritious forage crop that makes excellent feed for horses and cattle, as well as cheap enrichment for the soil. For the latter purpose, cut the vines and use them as hay; then plant whatever crop is to follow in the stubble and roots. Since Cowpeas have a tendency to loosen the soil, seed can usually be harrowed in, making plowing unnecessary. Sow 60 to 90 lbs. per acre between May 20 and July 15. Be sure to inoculate the seed with Nitragin before planting.

Mixed Cowpeas. A mixture of good varieties is usually more satisfactory, especially for soil improvement, for the combination is better able to withstand extremes of weather. Bus. \$3.25; 10 bus. lots, \$3.20 per bus.

Peas for Table Use

Lb. 15 cts.; 10 lbs. \$1.20

Ramshorn Black Eye. Pure white Peas with black eyes. Wilt-resistant.

Early Small Black Eye. Excellent quality.

Crowder. Light brown Peas, large and irregular in shape.

BROOM CORN

Will grow on any land that will produce corn. When ground is warm, plant 1 to 1½ inches deep in drills 3½ feet apart, thinning the plants to 6 inches apart in the row. Sow 5 lbs. to the acre.

Standard Evergreen. Grows 8 to 10 feet high and yields heavy straight brush free from large center stems. Ready to cut in 90 to 100 days. Lb. 20 cts.; 5 lbs. 80 cts., not prepaid.

Sugar Cane

Lb. 15 cts.; 5 lbs. 65 cts.

Sugar Drip. Large growth, often yielding up to 65% of its total weight in juice. Well adapted to this territory.

Early Orange. Excellent for both forage and sorghum.



New Clipper Super 29-D Separator. Devoted primarily to cleaning and refining, to State and Federal Seed Law requirements, such as Orchard Grass, Oat Grass, and Lespedeza. This Separator also removes many noxious weeds, including Dodder and Wild Onion. In this department our Seed Oats is double cleaned and treated.

SOYBEANS—the world's most all-round crop

THE Soybean is the most publicized crop of the day, and one that the farmer will do well to plant in abundance this year. With the Government urging planters to put more acreage in Soybeans—especially here in our Valley—it becomes not merely good business but an actual necessity. For the Soybean is proving itself a real weapon in the Nation's war effort. New uses for this all-round crop are continually being found by chemists and botanists.

On the farm Soybeans may be mixed with other grains to make a high-protein dairy feed. They may be used as an emergency hay crop, for Soybean hay is similar to alfalfa in feeding value. Cut and fed as green roughage or used as grass silage, Soybeans are very valuable. And as soil-improvers they are unexcelled by any plant. Like clover, they are a legume, and when plowed under as green manure, two tons of Soybeans add as much nitrogen to the soil as seven tons of manure.

Commercially, more than 300 uses for the Soybean have already been discovered, and the Nation's laboratories are steadily carrying on further research. In the manufacture of paint, linoleum, varnishes, plastics and soap it is utilized every day. High in food value, edible varieties are now being raised with great success, and the culture of Soybeans in vegetable gardens is being promoted.

Although the Soybean has been grown in this country for more than a hundred years, little attention was paid to it until comparatively recently. The acreage planted has increased three hundredfold since 1907; in 1942, 14,000,000 acres were sown. Many different varieties are grown in China, Korea, and Japan where it is a native, but of the various kinds introduced into this country, we are offering those which have been found to be most successful in our territory.

The best time to plant is from late May to July 15, but it may be done as late as August 15. Sow 60 to 90 lbs. per acre broadcast, or 45 to 60 lbs. in drills. For best results, harrow with spike-tooth once or twice until plants are 4 inches high, to promote growth and kill weeds. Be sure to inoculate the seed with Nitragin before planting.

HOLLYBROOK. (Yellow.) Matures in 125 days. A very fine early variety, producing well even on thin soil. Yellow varieties are in heaviest demand for oil-production. Bus. \$2.65; 10 bus., \$2.60 per bus.

ILLINI YELLOW. Matures in 110 days. Does best on fertile land and is quite disease-resistant. One of the best kinds for feed grinding. Plant 3 pecks to 1 bushel in rows 3 feet apart; $1\frac{1}{4}$ bushels when seeded with drill. Bus. \$2.65; 10 bus., \$2.60 per bus.

VIRGINIA. (Brown.) Matures in 125 days. Makes excellent hay and ensilage. Well-filled pods borne on strong vines, easy to cut and cure. Bus. \$2.65; 10 bus., \$2.60 per bus.

WILSON. (Black.) Matures in 120 days. Most popular variety in this section; especially good for hay or green manure. A small-seeded kind bearing pods well above the ground. Cures quickly. Bus. \$2.50; 10 bus. \$2.45 per bus.



SOYBEANS

WETSEL'S ADAPTED HYBRID SEED CORNS

It pays to plant Hybrid Corns. For some years, Iowa farms have planted better than 90% of their entire Corn acreage to Hybrids, Virginia farmers only about 7%. But Virginia farmers are awakening to the superior value of Hybrids. They produced better in the 1941

dry season and the 1942 wet season. Yes, for some years Hybrids have been "going to bat" in this territory; they made a "home run" in 1942. Better yields, better quality, easier to harvest. Plant Hybrid Corn this year and see for yourself what an improvement it is.

Hybrid Corn, U. S. 13

110 days. Our 1942 statement that this variety is "rapidly becoming the most popular Hybrid" has been fully confirmed. We have received more voluntary compliments on this variety than on any other three combined. Wherever the season is long enough to ripen a Corn of 110 days' maturity, it has led all others in all-round satisfactory results. In actual tests, it has proved to be consistent in its performance. Stalk is medium in height, slightly smaller than Reid's Yellow Dent. Ear medium to large, with rich golden yellow kernels, and usually longer than husks, making it easy to shuck. Deep grains and softer than most Hybrids. See prices on page 9.

U. S. 99. Large-foddered hybrid. Requires somewhat longer season for maturing than the widely known Reid's Yellow Dent. Not quite so tall as Reid's, but has thick stalk with broad blade. Ears large in circumference; kernels smooth, light yellow. Has been popular in certain sections of Virginia and farther South for several seasons. Enjoys a favorable reputation as a silage Corn.

U. S. 262. Smaller foddered than either U. S. 99 or 357. Thus it is slightly earlier. Has a good record in yield tests over a period of several years. Is becoming very popular in scattered sections, notably portions of the Piedmont area. Color light yellow; grain comparatively soft. Larger eared than most hybrids. Mr. John S. Ward, president of Virginia Crop Improvement Association, reports that he likes this hybrid especially well.

U. S. 357. Similar to U. S. 99, there being only one inbred line different in these two hybrids. No. 357 is a newer hybrid and is regarded as an improvement over 99 but did not excel it in 1942. Stalk not quite so thick as 99, but grain is softer. Should appeal to farmers who especially desire a soft kernel.

Illinois 200. 120 days. The ear is somewhat longer but smaller in circumference than U. S. 13; the stalk is slightly larger. Stands up well in most seasons and is a good yielder even under adverse conditions. Easy to husk and of excellent quality. Some of our stock is from a crop that yielded 99 bushels per acre last year here in Virginia.



WETSEL'S ADAPTED HYBRID SEED CORN

Illinois 448. 120 days. A very high-yielding hybrid of wide adaptability. Stalks very tall and stiff, wind resistant; each one produces two long yellow ears of medium diameter. Kernels closely packed, medium depth, with high shelling percentage.

Illinois 784. Larger growth of fodder than U. S. 13. Ears also somewhat larger. Accordingly, it requires about a week longer for maturity of crop. Owing, doubtless, to longer growing period, it has yielded slightly more than 13, under actual tests, during last two years. It would not, of course, be suitable for short-seasoned areas. Mr. Ward also highly commends this hybrid.

Iowa 939. 100 days. An old Hybrid that has been one of the best sellers in West Virginia. Very satisfactory.

Ioweaith 29-A. 105 to 110 days. Produces a tall stalk with one large ear about 11 inches long and of large diameter, with 18 to 20 rows of grains. Very showy in appearance. Should not be planted on medium or thin soil.

Ohio W-17. 100 to 110 days. A popular variety in West Virginia, where it is a good yielder. Medium-sized ear with 16 to 18 rows of shallow kernels. Stalks of medium height, leafy and uniform, remaining green after husks have ripened on the ear.

Wood's Hybrid Early Yellow Dent-V 30. 100 days. Fodder tall, bearing two medium-sized ears; 14 to 16 rows of medium deep grains. Very good root system and strong stalks. One of the best medium late hybrids for West Virginia, eastern Pennsylvania and Maryland. A good early feed Corn for Virginia and South. Roasting ears in 70 days.

Wood's Hybrid Yellow Dent V-40. About 115 days. One of the best yellow Hybrids developed in the Middle Atlantic section, and especially adapted to conditions in Virginia, Maryland, and Kentucky. A good producer of large, sound ears on strong, drought-resistant stalks. Fodder is rather short, and it can be planted one-fourth closer than most varieties.

Wood's Hybrid Yellow Dent V-45. 118 to 120 days. Prolific yielding hybrid. Is adapted to a wide variety of soils and altitudes. Grows a tall, rigid stalk that resists high winds. Produces two yellow ears which are long and medium thick. Closely packed, deep kernels. A high-yielding sheller.

Wood's Hybrid Yellow Sweepstakes. 100 days. One of the best ensilage Corns for a short season.

Wood's Hybrid Red Sweepstakes—Ensilage. 110 days. Ideal for dairy farms, for it is the only hybrid developed especially for ensilage purposes. The very large, thick stalks make quick, vigorous growth, producing heavy tonnage and the maximum amount of feed.

DeKALB HYBRIDS

DeKalb 422. 95 days. An old grain favorite with heavy yields of very high quality Corn. To get bushels, many farmers go back to it year after year. The ears are long and the rows are straight. The blocky kernels have a rich yellow color, high luster and a medium dent.

DeKalb 404-A. 95 days. Is one of the leading Hybrids from one end of its maturity zone to the other. Over 100 million bushels of the nation's Corn crop are produced annually by this one hybrid. From six years of excellent performance, farmers have repeatedly observed soil and climatic adaptations over a wide belt.

DeKalb 816. 110 days. Livestock farmers like the deep, soft kernels of this hybrid for feeding. Cash grain farmers like it for its high shelling percentage and heavy yields. 816 has excellent standing ability and insect resistance.



Illinois 784

DeKalb 847. 110 days. The heavy solid ears of 847 contribute to its big yields. Its healthy stalks that remain green as ears mature give this Hybrid unusual standing ability. Its dark green foliage is very attractive. Kernels are a dark yellow and have a medium dent. Stalks are short to medium in height.

DeKalb 888. 115 days. One of the best yielders and all-round performers of the late-maturing hybrids. Its long ears are seldom seen because they are borne on short shanks, many of which never break over.


STALEYMONE

The amazing new plant-growth substance, is recommended for dusting on field seeds before planting, to hasten germination. See page 10.

HYBRID SEED CORN PRICES

TESTED — GRADED — BAGS INCLUDED


	F. O. B. Gal.	HARRISONBURG 1/2 Bus.	HARRISONBURG Bus.	Postpaid Gal.	Postpaid 1/2 Bus.	Postpaid Bus.
U. S. 13.....	\$0 90	\$3 40	\$6 75	\$1 05	\$3 85	\$7 50
U. S. 99.....	90	3 40	6 75	1 05	3 85	7 50
U. S. 262.....	90	3 40	6 75	1 05	3 85	7 50
U. S. 357.....	90	3 40	6 75	1 05	3 85	7 50
Illinois 200.....	90	3 40	6 75	1 05	3 85	7 50
Illinois 448.....	90	3 40	6 75	1 05	3 85	7 50
Illinois 784.....	90	3 40	6 75	1 05	3 85	7 50
Iowa 939.....	90	3 40	6 75	1 05	3 85	7 50
Ioweaith 29-A.....	1 00	4 00	8 00	1 20	4 40	8 75
Ohio W-17.....	90	3 40	6 75	1 05	3 85	7 50
Wood's Hybrid Early Dent V-30.....	90	3 40	6 75	1 05	3 85	7 50
Wood's Hybrid Yellow Dent V-40.....	90	3 40	6 75	1 05	3 85	7 50
Wood's Hybrid Yellow Dent V-45.....	90	3 40	6 75	1 05	3 85	7 50
Wood's Hybrid Yellow Sweepstakes.....	75	2 75	5 25	90	3 10	6 00
Wood's Hybrid Red Sweepstakes.....	75	2 75	5 25	90	3 10	6 00
DeKalb 404-A.....	1 15	4 45	8 80	1 30	4 85	9 50
DeKalb 422.....	1 15	4 45	8 80	1 30	4 85	9 70
DeKalb 816.....	1 05	4 10	8 10	1 20	4 50	8 80
DeKalb 847.....	1 05	4 10	8 10	1 20	4 50	8 80
DeKalb 888.....	1 05	4 10	8 10	1 20	4 50	8 80
Funk's G. Hybrids (94 and 135).....				Ask for prices		Ask for prices



Wood's Hybrid Yellow Dent V-40

WETSEL'S STANDARD and ENSILAGE CORNS

Widely Used for 40 Years



Boone County White Dent Corn

Reid's Yellow Dent. Certified. 120 days. Reid's Yellow Dent strains are the most popular yellow Corn, especially in the East. The medium-sized ear is rather large in diameter and bears long rich golden yellow kernels. An excellent sort for feeding on the cob. Farmers are now convinced that it pays to plant certified seed, even if the initial cost is higher.

Reid's Yellow Dent. Thoroughbred. Grown from certified seed, one year removed. Crop was carefully supervised and seed well selected.

Wetsel's Leaming. 100 days. A high-yielding standard Corn of high quality. Stalk grows about 8 feet high, and ears are 8 to 9 inches long, with 16 to 20 rows of rich golden yellow kernels. Used in some sections for ensilage.

Wetsel's 90-Day Corn. Small fodder and cob. Deep golden yellow grains. Very prolific as an early Corn. Excellent selection for those seeking an early crop.

Pennsylvania (Lancaster) Sure Crop. 110 to 120 days. A well-known sort in steady demand. A good producer of fodder, for the stalks often reach 10 to 12 feet in height. Ears 10 to 12 inches long, with 12 to 14 rows of slightly reddish yellow kernels.

Bloody Butcher. 100 to 110 days. Another popular old sort. Nine-foot stalks bear large ears with red and yellow kernels. Suitable for both silage and feeding.

Early Massodent (White Cap). 110 days. Widely used for 40 years, and one of the varieties sold by the founder of our business in 1902. Large ears with long kernels, pale yellow on the cob but rich yellow when shelled.

Boone County White Dent. Certified. About 110 days. A prize-winning, heavy-yielding white Corn extensively used in the Piedmont and Valley sections for more than 30 years. The 10-foot stalks bear heavy ears 10 to 11 inches long, with 18 to 20 straight rows of deep grains, closely wedged on a white cob.

Boone County White Dent. Thoroughbred. Essentially the same as the preceding variety, but one year removed from certified seed.

Johnson County White. Similar to Boone County White Dent, but possibly more flinty.

Funkhouser's White. 110 days. Smaller fodder and somewhat earlier than Boone County strain. Large, deep-grained ears. A very fine white Corn.

Hickory King. 115 days. A popular old variety recommended for high light soils. Early and low growing, it can be planted closer than most sorts. Very small cob bearing large, broad grains. Yields more shelled Corn per barrel of cob than any other kind.

G. & O. Crow Repellent. Keeps corn-pulling birds from molesting corn while it is germinating, sprouting, and rooting. Saves seed loss and the labor of replanting. Will not clog any planter. $\frac{1}{2}$ pt. (1-bus. size) 30 cts.; pt. (2-bus. size) 50 cts.; qt. (4-bus. size) 75 cts.

Ensilage Corn

For years we have been supplying our customers with high-quality seed of Ensilage Corn. We offer those varieties which our experience proves are best suited to the climatic conditions in the territory we serve.

Blue Ridge Mountain. A well-known early variety. Bears the largest grain of any ensilage Corn. Grows 14 to 16 feet tall and produces a large ear and plenty of foliage. An ideal ensilage Corn, very popular in this section.

Eureka. 115 days. A first-class sort for either ensilage or feeding, if allowed to mature. Very tall stalks, 12 to 15 feet high; large white kernels. A favorite for filling silos. When to be used as ensilage, it should be cut while in blossom. It is better to cut it early than too late.

Old Virginia. Broad, thick, succulent fodder and deep, soft grain. Often used as a crib Corn.

Pamunkey. An extra-heavy producer. Strong, vigorous stalks 13 to 15 feet high usually bear two large ears.



STANDARD FIELD CORN PRICES

	F. O. B. HARRISONBURG	Pk.	Bus.
Reid's Yellow Dent—Certified.....		\$0 85	\$3 25
Reid's Yellow Dent—Thoroughbred.....		80	3 00
Wetsel's Leaming.....		80	3 00
Wetsel's 90-Day.....		75	2 75
Penna. Sure Crop, Virginia-grown.....		80	3 00
Penna. Sure Crop, Pennsylvania-grown.....		80	3 00
Bloody Butcher.....		80	3 00
Early Massodent.....		80	3 00
Boone County White Dent—Certified.....		85	3 25
Boone County White Dent.....		80	3 00
Johnson County White.....		80	3 00
Funkhouser's White.....		75	2 75
Hickory King.....		80	3 00
Ensilage, Blue Ridge Mountain.....		80	3 00
Ensilage, Eureka.....		80	3 00
Ensilage, Old Virginia.....		75	2 75
Ensilage, Pamunkey.....			Ask for price

Announcing . . .

STALEYMONE



An Amazing Plant Stimulant



STALEYMONE, the new plant stimulant, is recommended for use on farm and vegetable seed, on flowers and nursery stock, on trees and lawns. It has been found to rank highest in all-round results when compared with other growth-promoting materials.

Dusted on seeds before planting, it will hasten their germination. Seeds and cuttings treated with it are enabled to put forth stronger root systems than untreated seed, and as a result they grow faster and produce sturdy plants capable of withstanding unfavorable climatic conditions.

Treating plants, trees and shrubs with Staleymone at transplanting time hastens root development in their new location and overcomes much of the loss from wilting and shock. Watering plants once a week with Staleymone solution will increase the number of fibrous roots and add vigor and vitality.

Staleymone is not intended to take the place of fertilizer, seed inoculants, disinfectants, or fungicides. It is purely a growth-controlling material and helps the plant to make better use of the fertilizer

given it. Any inoculants or disinfectants that are ordinarily used on seed before planting should be applied as usual, with the Staleymone as an added treatment.

Farmers who use large size bags of Staleymone can treat crops for 4 cents per acre. Home gardeners using garden-size packages find the cost negligible compared with the results obtained.

Enthusiastic reports have come from growers of soybeans in widely scattered parts of the country. An Oklahoma farmer reported 840 pounds of cowpeas from a plot planted with Staleymone-treated seed, as compared with an untreated check plot that yielded only 482 pounds. An Illinois farmer harvested 4 bushels of large tomatoes from 15 plants raised from seed treated with Staleymone.

An application of Staleymone as a dust at the rate of 30 to 40 pounds per acre has been found profitable on most crops. The fertilization of blossoms on field crops is stimulated by such a dusting, with the result that larger and better seeds are produced. It should always be remembered, however, that Staleymone does not take the place of an insecticide.

Bulbs, roots and tubers may be dusted with Staleymone before planting; the base of cuttings may be dipped in the powder, to hasten rooting. When transplanting woody plants, the hole in which they are to be set is often dusted with Staleymone, or a solution of one ounce to four gallons of water may be used to water the newly planted tree or shrub.

In answer to the demand for increased yields this year, we offer Staleymone.

GARDEN SIZES

Oz.	\$0 25
1/2 lb.	50
Lb.	1 00

FARM SIZES

5 lbs.	\$2 50
25 lbs.	5 00
100 lbs.	15 00

SEED INOCULATIONS AND DISINFECTANTS

APPROX. 70,000,000 LBS. OF AIR-NITROGEN ABOVE EVERY ACRE. THIS IS AVAILABLE FREE FOR SOIL AND CROP IMPROVEMENT IF YOU

CONVERT LEGUME SEEDS INTO FERTILIZER PLANTS

Inoculating by with

NITRAGIN

SINCE 1898

ALFALFA
RED CLOVER
SWT. CLOVER
COWPEAS
PEAS
VETCH
A. W. PEAS
SOYBEANS
LESPEDEZA
PEANUTS
BEANS
ALL LEGUMES

BUILD UP YOUR SOIL Inoculate Your Legumes With NITRAGIN

Many believe once a field has been planted with inoculated Legume seeds that any future similar Legumes planted on the same field need not be inoculated. Field tests have shown that better crops are harvested when Legume seeds are inoculated even when planted on fields where inoculated seeds of the same Legume crops had grown the previous year. It seldom pays to depend upon natural inoculation. The safest method is to inoculate legume seed each time the seed is planted.

NITRAGIN Inoculation Prices. When Ordering, ALWAYS State Name of Seed

ALFALFA

Sweet Clover, Bur Clover,
Hubam Clover

Size	Retail
½ bu. ea.....	\$.30
1 bu. ea.....	.50
2½ bu. ea.....	1.00

CLOVERS

Medium and Mammoth
Red, Alsike, Crimson and

White Clovers

Size	Retail
½ bu. ea.....	\$.30
1 bu. ea.....	.50
2½ bu. ea.....	1.00

BEANS

String, Wax, Kidney

Size	Retail
½ bu. ea.....	\$.25
1 bu. ea.....	.35

LIMA BEANS, COW PEAS

AND PEANUTS

Size	Retail
Small (Inoculates up to 120 lbs. seed)	\$.25
Large (Inoculates up to 100 lbs. seed)	.35
(Contains 6-5 bu. cans)	

PEAS (All Varieties)

VETCHES (All Varieties)

Size	Retail
½ bu. ea.....	\$.25
1 bu. ea.....	.35
1½ bu. ea.....	.50
2½ bu. ea.....	3.50

SOYBEANS (All Varieties)

Size	Retail
Small (Inoculates up to 120 lbs. seed)	\$.30
5 bu. ea.....	.55
25 bu. (one can) ea..	2.50
30 bu. (one ctn.) ea. 3.25	
(Contains 6-5 bu. cans)	

LESPEDEZA

Size	Retail
Small (Inoculates up to 50 lbs. seed)	\$.35
Large (Inoculates up to 100 lbs. seed)	.50

GARDEN SIZE

Garden Peas and Beans

Sweet Peas and Lupines

Enough for 6 lbs. seed

Retail Price 10c each.

NITRAGIN—the Oldest and Most Widely Used Inoculator in America




DISINFECTANTS

SEMESAN JR.

For Field, Sweet and Popcorn Seed

Helps reduce seed rotting; makes early planting safer; generally improves stands and yield—an actual average of 4 bushels an acre increase in 9 years' tests. 1½ ozs. treat 1 bushel of seed. 1½ ozs. 15 cts.; lb. 75 cts.; 5 lbs. \$3.00.



SEMESAN BEL for Potatoes

Controls seed-born rhizoctonia and scab. Protects seed piece from rotting under cold, wet soil conditions. Produces potatoes of better quality and increases yields. 2 ounces treat from 6 to 9 bushels of seed potatoes. 2 ozs. 30 cts.; 4 ozs. 50 cts.; lb. \$1.65; 5 lbs. \$7.15.

SEMESAN for Vegetable Seeds and Bulbs

Disinfects seed; often quickens and increases germination; helps to produce more vigorous plants; destroys certain fungous and bacterial diseases on the seed; reduces seed rotting and damping-off of seedlings. ½ oz. 10 cts.; 2 ozs. 40 cts.; lb. \$2.50.



New Improved CERESAN for Oats, Barley and Wheat

Effective in controlling smut and stripe of Barley, Oat smuts, and bunt or stinking smut of Wheat. Ceresan improves the stand and yield of grain 1 to 5 bushels per acre. One pound treats 32 bushels of seed. 4 ozs. 30 cts.; lb. 80 cts.; 5 lbs. \$3.40.

DISINFECTANTS NOT POSTPAID



View of a section of our modernly equipped Garden and Flower Seed Department, where store customers are served and orders are filled. Large reserve stocks are stored on other floors



WETSEL'S Dependable VEGETABLE SEEDS

FOOD FOR VICTORY

ASPARAGUS

Soak the seed twenty-four hours before planting, and sow in spring or fall in very rich soil. Transplant to rows 2 feet apart, with plants about 15 inches apart. One ounce plants 50 feet of row.

Roots are planted 8 inches deep and 18 inches apart, in rows 4 feet apart. Set them in a trench that has been fertilized well, and do not use the sprouts the first year. A dozen roots for each member of the family is a good quantity to plant.

Mary Washington. Rust-resistant. Large straight stalks with firm delicious tips. Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 35 cts.; lb. 80 cts., postpaid.

Mary Washington Roots. Set out in February and March. 1 to 3 yrs. old. 25 cts. per doz.; 50 cts. for 25; \$1.25 per 100, not postpaid.

BEANS

Dwarf or Bush Green-Podded

Plant every two weeks from April to August, at the rate of $\frac{1}{2}$ pound to a 50-foot row. Sow Beans 3 inches apart, $1\frac{1}{2}$ to 2 inches deep, in rows 2 feet apart. Cultivate frequently but never when the plants are wet.

Except as noted, lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. or more, 21 cts. per lb., not postpaid

Black Valentine Stringless. 55 days. Pod 6 inches in length, fairly straight, with round dark green stringless pods.

Bountiful. 51 days. A first-early flat-podded variety which continues to bear over a long season. Light green pods, $6\frac{1}{2}$ to 7 inches long, entirely free from strings.

Burpee's Stringless. 54 days. Pods 5 inches long, slightly curved, round, dark green and fleshy. A very popular variety, especially for canning.

Dixie White. 53 days. Pods 4 inches long, light green, round, straight and stringless when young. Excellent as a dry shell Bean. Wonderful yielder.

Dwarf Horticultural. 54 days. Pods yellowish green, splashed carmine, slightly curved, 5 inches long. Use as a snap or as a green shell Bean.

Dwarf Kentucky Wonder (Commodore). 63 days. All-America Selection, 1938. Pods 8 to 9 inches long, round, slightly curved and twisted. Tender, brittle, almost stringless and fiberless, medium dark green; excellent quality. Appears likely to attain the popularity long enjoyed by Kentucky Wonder Pole Bean. Lb. 35 cts.; 2 lbs. 65 cts.

Full Measure Bush. 52 days. Plants large; heavily productive. Pods medium green, 6 inches long, round and straight. Stringless, with yellowish brown seed.

Giant Stringless Green-Pod. 56 days. Excellent for market gardeners, shippers, and canners. Pods round, 6 inches long, entirely stringless.


Landreth's Stringless. 54 days. Pods 6 to 7 inches long, fairly straight, round and dark green. Generally regarded as the same Bean as Burpee's Stringless, but this strain is preferred by many commercial canners.

Red Valentine. 54 days. A standard early variety. Pods green, round, 5 inches long, not entirely stringless.

Roger's Stringless Refugee. 68 days. Young pods valuable for canning and baking. Pods medium green, stringless, fleshy, and brittle.

Tendergreen Stringless. 48 days. An excellent early sort for home and market-garden use. Pods round, fleshy, stringless, with many brown seeds which are mottled with light fawn. Plants strong, upright in habit, and yield freely. Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. \$1.10.

Tennessee Green-Pod (Case-knife). 52 days. Pod the largest, longest, and broadest of any green-pod Bean; not entirely stringless.



Beans, Bountiful

Dwarf or Bush Wax-Podded Beans

Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. \$1.05,
not postpaid

Davis White Wax Stringless. 52 days.
Pods 5 to 6 inches long, flat, wide, yellow, of good quality. Good for home use or shipping.

Pencil-Pod Black Wax. 59 days. Pods 6 to 7 inches long, straight, round, absolutely stringless. Seeds black.

Rustless Golden Wax. 54 days. Disease-resistant. Pods thick, golden yellow, about 5 inches long.

Bush Shell Beans

Used exclusively as Shell Beans

White Kidney. Kidney-shaped white seed.

Red Kidney. Seeds are brick-red in color.
Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. \$1.05,
not postpaid.

White Navy. Most popular variety for baking. Plants heavy yielders. Lb. 15 cts.; 5 lbs. 70 cts.; 10 lbs. \$1.35, not postpaid.


Pole or Cornfield Beans

Pole Beans are sensitive to cold, and should not be planted until the ground is warm. Use poles 6 to 8 feet long, set firmly 3 feet apart in rows 4 feet apart. If planted in hills, sow five or six Beans in each. May also be planted with corn.

**Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. and over,
21 cts. per lb., not postpaid**

Creaseback, Black. 65 days. Grows 5 feet tall. Pods round, 7 inches long, and stringless. Black seeded.

Creaseback, White. 63 days. Bright green, round pods, about 6 inches long, not stringless.



Beans, Rustless Golden Wax

Creaseback, Striped. 70 days. Medium green, round pods, 6 inches long, not stringless but of good quality.

Golden Cluster Wax. 70 days. A late variety with flat yellow pods about 8 inches long. Seeds white.

Ideal Black Pole. 60 days. Extremely early and prolific. Pods 5 inches long, round, slightly curved, stringless, of excellent quality, borne in clusters of six.

Kentucky Wonder Wax. 70 days. Flat yellow, stringless pods.

Kentucky Wonder, Brown-Seeded. 65 days. A profusion of round meaty pods, often 9 to 10 inches long. Very popular.

Kentucky Wonder, White-Seeded. 62 days. Long, brittle, stringless pods, finely flavored.

Lazy Wife. 73 days. A late sort for home-gardens. May be used as a snap, a green shell, or a dry shell Bean. Pods flat, about 5 inches long. Dry seed is white.

London Horticultural. 70 days. Short, straight, stringless pods. Dried Beans are fine for winter use.

Noxall (Missouri Wonder). 70 days. Long, round, green pods. Good for snap or shell Beans. Gives large crops, and is excellent for planting among corn.

Red Speckled Cut-Short. 74 days. Long, straight, 4-inch pods, thick and crisp when young.

Tennessee Wonder. 71 days. Similar to Kentucky Wonder, but has larger, straight, and smoother pods. More desirable as a shell Bean than as a snap.

White McCaslan. 65 days. Green pods 8 to 9 inches long, slightly flattened. White seeds.

Beans are the most important garden vegetable. They contain both Vitamins A and B₁, are most nutritious and wholesome. Plant plenty of Beans.

LIMA BEANS

Lima Beans are very susceptible to cold and seeds should not be planted until the ground has become thoroughly warm. They should be sown on well-enriched land, with the rows 3 feet apart, placing the Beans 6 inches apart in the row. Plant about 1½ inches deep, ½ pound to 50 feet of row.

Bush Varieties

**Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. \$1.10;
10 lbs. \$2.10**

Burpee's Improved Bush. 75 days. Produces large pods which contain 4 or more thick Beans. The dry Beans are flat, greenish white.

Fordhook Bush Lima. 75 days. Thick, meaty pods containing 3 or 4 seeds. Both the green shell and the dry Beans are large and plump.

Fordhook Baby Lima. 70 days. Bush about 14 inches high, erect and runnerless. Dark glossy green pods 2½ inches long, with 3 or 4 Beans. Excellent for canning.

Henderson's Bush (Baby Lima). 65 days. A popular canning variety. Pods contain 3 or 4 seeds. Dry Beans are white.


Jackson's Wonder Bush. Medium-sized pods holding 4 or 5 thick Beans of good quality.

Pole Varieties

**Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. \$1.10;
10 lbs. \$2.10**

King of the Garden. 88 days. An improved strain of the large white Pole Lima. Pods 5 to 6 inches long, containing 4 or 5 large Beans of good quality.

Sieva or Carolina. 75 days. Popular pole Butter Bean, with pods 3 inches long Early, prolific, and of excellent quality.



Beans, Fordhook Bush Lima

Pole Beans, Kentucky Wonder

BEETS

Light, well-fertilized loam is best for growing Beets. Successive plantings at two-week intervals are preferable, using an ounce of seed for a 50-foot row, and 6 to 8 pounds for an acre. Sow in rows $1\frac{1}{2}$ feet apart, and when the plants are about 2 inches high, thin to 3 inches apart. Beet tops are among the most vitamin-rich products of the whole vegetable garden. For winter storage, late Beets may be packed in moist soil in a cool cellar.

Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 50 cts.; lb. \$1.85, postpaid

Crimson Globe. 69 days. Second early. Globe-shaped; deep crimson.


Crosby's Egyptian. 60 days. Early. Flattened globe-shaped; medium dark-red, tops medium size.

Detroit Dark Red. 68 days. Main-crop variety. Roots round, smooth, deep blood-red. Good for late summer and fall.

Early Blood Turnip. 68 days. Second early. Turnip-shaped, bright red; long tap-root. Used for both early and main crop; desirable for winter use.

Early Eclipse. 65 days. Root globular; flesh bright red, marked with white, fine grained.


White Sugar. 90 days. Large. Excellent for table use or for stock. Heavy yielder.



Beet, Detroit Dark Red

Vitaminized Gardens

Beets contain Vitamin B₁, health and nutrition necessity. Young Beet tops are superior to spinach and turnips for greens.



Mangel-Wurzel, Mammoth Long Red

MANGEL-WURZEL or STOCK BEETS

Sow from April to July, in drills 2 feet apart, thinning to 10 inches apart. Sow 6 pounds of seed per acre.

Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 40 cts.; lb. \$1.50, postpaid

Golden Tankard. Flesh yellow and inclined to color the milk. Large root, usually larger at the bottom than at the top.

Mammoth Long Red. Flesh white, veined pink. Roots 18 inches long, and 6 inches across, grow half above ground. Often yields 30 to 50 tons per acre.



Brussels Sprouts

SWISS CHARD

Sow the seed about an inch apart and an inch deep, in rows $1\frac{1}{2}$ to 2 feet apart. When 3 to 4 inches high, thin to 8 to 10 inches apart. An ounce of seed plants 50 feet of row.

Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 40 cts.; lb. \$1.50, postpaid

Fordhook Giant. 60 days. Grows to an immense size. Large, fleshy, blue-green, much-crinkled leaves of thick texture. Stems pearly white, often $2\frac{1}{2}$ inches wide.

Lucullus. 60 days. In season from early spring to late autumn. The pale green foliage may be used like spinach and the broad white stems like celery. The roots are not edible.

BROCCOLI

Start early indoors and transplant outdoors when frost is over, 18 to 24 inches apart, in rows 3 feet apart. A packet of seed is enough for most home gardens; an ounce produces 2500 plants.

Italian Green Sprouting. 75 days. Sprouts about 5 inches long, with a head of green shoots. New heads form in six to eight weeks after cutting. Pkt. 10 cts.; oz. 30 cts.; $\frac{1}{4}$ lb. \$1.00; lb. \$3.50, postpaid.

BRUSSELS SPROUTS

Grown like cabbage. Set the plants 2 feet apart, with 3 feet between rows. A packet will be ample for small gardens; an ounce produces about 2500 plants.

Long Island Improved. 100 days. Small shoots clustered around the main stem, maturing in autumn. Pkt. 10 cts.; oz. 60 cts.; $\frac{1}{4}$ lb. \$2.00, postpaid.



Broccoli, Italian Green Sprouting



Swiss Chard, Lucullus

CABBAGE

Start indoors in January or February, and transplant to the open ground, setting the plants 18 inches apart in rows 2 to 2½ feet apart. An ounce of seed will produce about 2000 plants. For fall crops, the seed may be sown directly in the row. Plenty of nitrogen-rich fertilizer and frequent cultivation are necessary.

All Cabbage seed sent postpaid

First-Early Varieties

Charleston Wakefield. 72 days. Seed selected from the best Early Jersey Wakefield, but heads will average about 50 per cent larger. Pointed heads with dark green outer leaves. Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.50.

Early Dwarf Flat Dutch. 72 days. Heads dark green, flat, solid, and of good size. Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.50.

Early Jersey Wakefield. 64 days. Compact, pointed head. Can be planted closer than most varieties. Pkt. 10 cts.; oz. 25 cts.; ¼lb. 80 cts.; lb. \$3.00.

Golden Acre. 64 days. Heads round, about 9 inches in diameter, firm, bright green in color. Pkt. 10 cts.; oz. 30 cts.; ¼lb. \$1.00; lb. \$3.75.

Jersey Queen. 64 days. Identical with Jersey Wakefield, except that it is wilt-resistant. Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.50.

Marion Market. Yellows-resistant strain of Copenhagen Market. Pkt. 10 cts.; oz. 30 cts.; ¼lb. \$1.00; lb. \$3.75.

Resistant Detroit. 65 days. Identical with Golden Acre but yellows-resistant. Pkt. 10 cts.; oz. 30 cts.; ¼lb. \$1.00; lb. \$3.75.

Later and Winter Varieties

Danish Ballhead. 103 days. Yellows-resistant. Solid round heads; short stems. Good for winter storage. Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.75.

Houser. 105 days. Solid, slightly flattened head. Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.60.

Large Late Drumhead. 105 days. Very popular. Large, round head, slightly flattened. Excellent keeper. Pkt. 10 cts.; oz. 25 cts.; ¼lb. 90 cts.; lb. \$3.50.

Late Flat Dutch. 110 days. Large, flat head; very solid and keeps well. Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.60.

Savoy, Drumhead American. 95 days. Satisfactory for home use and market. Heads flattened, globe-shaped, large and firm; short stems. Pkt. 10 cts.; oz. 25 cts.; ¼lb. 95 cts.; lb. \$3.50.

Surehead. 85 days. Large, solid, thick heads; good shipper. Pkt. 10 cts.; oz. 25 cts.; ¼lb. 90 cts.; lb. \$3.40.


Volga. 89 days. Dependable main-crop variety for market garden and shipping. Plant dwarf, compact, with thick outer leaves; heads globular. Pkt. 10 cts.; oz. 25 cts.; ¼lb. 90 cts.; lb. \$3.50.

Wisconsin All-Seasons. 94 days. A yellows-resistant strain of All-Seasons. Head large, flat, and hard, on short stems. Good winter keeper, used extensively in manufacturing kraut. Pkt. 10 cts.; oz. 30 cts.; ¼lb. \$1.00; lb. \$3.75.

Wisconsin Hollander No. 8. 105 days. A yellows-resistant strain of Hollander or Danish Ballhead. Yields well on yellows-infested land. Excellent for storing and shipping. Pkt. 10 cts.; oz. 35 cts.; ¼lb. \$1.20; lb. \$4.25.



Cabbage, Resistant, Golden Acre




Cabbage, Late Flat Dutch

Chinese or Celery Cabbage

Improved Pekin or Chihli. 75 days. Resembles celery and Cos lettuce, with tall cylindrical heads. For early use, sow seeds in hotbed in February; for later use, sow early in June. Plants mature in from twelve to fifteen weeks; will not stand frost. Pkt. 10 cts.; oz. 25 cts.; ¼lb. 85 cts.; lb. \$3.25, postpaid.

CELERIAC

Sometimes called turnip-rooted celery. Grown for its roots only, which are used to flavor soups and salads. Pkt. 10 cts.; oz. 30 cts.; ¼lb. \$1.00, postpaid.



Chinese Cabbage, Chihli

CARROTS

For home use, sow at two-week intervals in rich deep loam, in rows 18 to 20 inches apart. When plants are a few inches high, thin to 2 to 3 inches apart. An ounce of seed plants 100 feet of row; 3 to 4 pounds, an acre.

Pkt. 10 cts.; oz. 30 cts.; ¼lb. 95 cts.; lb. \$3.70, postpaid

Chantenay. 72 days. Roots 5 to 6 inches long, deep orange-red, smooth, tapering. Fine-grained, tender flesh. Desirable for home and market-garden use.

Coreless. 70 days. Excellent for forcing, as well as for home and market gardens. Tops very small. Roots bright orange, cylindrical, blunt ended. Flesh reddish orange, crisp, tender and of fine flavor, practically coreless.

Danvers Half-Long. 75 days. Roots deep orange, longer than Chantenay, crisp, sweet and tender. Good for storing and shipping.

Early Scarlet Horn. 63 days. Roots 3 inches long, reddish orange in color, about 1½ inches thick at top.


Imperator. 76 days. A new variety. Rich orange flesh; root 7 to 8 inches long, smooth, slender, and attractive. Especially fine for bunching.

Wood's Scarlet Intermediate. Finest Carrot for all purposes. Medium early; bright orange-colored flesh so much preferred. Tender and of delicate flavor.

CAULIFLOWER

Grown like cabbage. Leave 2 feet between plants and 3 feet between rows. When the heads are about 3 inches across, tie up the outer leaves to aid in blanching. An ounce of seed produces about 2000 plants.


Early Snowball. 95 days. An extra-good strain yielding medium-sized, compact heads. Pkt. 10 cts.; ½oz. \$1.25, postpaid.



Carrot, Imperator



Celery, Giant Pascal



Sweet Corn, Golden Cross Bantam

CELERY

Grows best in moist, fertile loam. Sow the seed indoors, and transplant 6 inches apart, with 2½ feet between rows. Use boards, heavy paper, or soil around the plants for blanching. An ounce of seed produces about 5000 plants.

Pkt. 10 cts.; oz. 35 cts.; ¼ lb. \$1.20;
lb. \$4.50

Fordhook-Emperor. 130 days. Dark green foliage and thick stalks, solid and large; golden heart.

Giant Pascal. 135 days. Excellent for fall and winter, for it keeps well. Blanches to yellowish white; stalks solid and crisp, about 2 feet high.

Golden Self-blanching. 115 days. A popular dwarf variety. Blanches easily and matures early. Fine for home gardens.

Winter Queen. Cream-white stalks, thick and heavy.

Wonderful (Golden Plume). 110 days. Stalks short but hard, stringless, crisp, very large, golden yellow.

CORN SWEET or SUGAR

Plant in well-fertilized land after it has become warm and dry in the spring. Two ounces of seed will plant 50 feet. If in rows, space the seeds 3 inches apart, with 2 feet between rows, and thin the young plants to 10 inches apart. Or plant six seeds to a hill, thin to three plants, and space the hills 2 feet apart each way.

We do not prepay postage
on Seed Corn

Hybrid Strains

Ioana. 87 days. A new variety developed in Iowa and especially resistant to drought and wilt. Largely planted in the South and Southeast or wherever worms are likely to infest the crop. The 8-inch ears have 12 or 14 rows of cream-yellow kernels; an especially heavy husk protects the ear from birds and worms. Popular with canners and market gardeners, and highly recommended. The limited supplies of this table Corn available last summer were eagerly sought. Growers had standing orders from stores for all that could be supplied; numerous persons praised it as the "best Sweet Corn they had ever eaten." Lb. 35 cts.; 2 lbs. 65 cts.; 5 lbs. \$1.60; 10 lbs. \$3.10.

Country Gentleman. 90 days. A fine variety with ears 6½ to 7 inches long, bearing slender white kernels set irregularly instead of in rows. The seed we offer is produced from carefully bred, selected strains. Lb. 35 cts.; 2 lbs. 65 cts.; 5 lbs. \$1.60; 10 lbs. \$3.10.

Stowell's Evergreen. 93 days. Developed from crossing inbred evergreen lines. Widely grown by market gardeners and canners, particularly in the East. Ears 7 to 9 inches long and 16 or 18-rowed bear white kernels. Lb. 40 cts.; 2 lbs. 75 cts.; 5 lbs. \$1.80; 10 lbs. \$3.50.

Golden Cross Bantam. Wilt-resistant. An excellent producer of 8-inch yellow ears with 10 to 14 rows of kernels. Matures a few days later than Golden Bantam. Lb. 35 cts.; 2 lbs. 65 cts.; 5 lbs. \$1.60; 10 lbs. \$3.10.

Farmers are rapidly learning that hybrid strains of both Field and Sweet Corn are the most satisfactory. With their inbred resistance to disease, drought, and wind, they produce better average yields and thus make the time and labor expended upon the crop more worth while.

Standard Strains

Adams Extra Early. 70 days. Pure white grains on 5-inch ears. Lb. 15 cts.; 2 lbs. 25 cts.; 5 lbs. 60 cts.; 10 lbs. \$1.10.

Black Mexican. 88 days. A superior Corn. The bluish black seed is white when at the eating stage. Lb. 20 cts.; 2 lbs. 35 cts.; 5 lbs. 80 cts.; 10 lbs. \$1.55.

Country Gentleman. 93 days. Irregular rows of white kernels. A popular late variety for home gardens. Lb. 20 cts.; 2 lbs. 35 cts.; 5 lbs. 95 cts.; 10 lbs. \$1.80.

Golden Bantam. 78 days. Kernels yellow, broad and sweet; ears 6 to 7 inches long. Lb. 20 cts.; 2 lbs. 35 cts.; 5 lbs. 90 cts.; 10 lbs. \$1.75.

Golden Evergreen. 85 days. Ears 8 inches long with 12 rows of golden yellow, broad kernels. Lb. 20 cts.; 2 lbs. 35 cts.; 5 lbs. 90 cts.; 10 lbs. \$1.75.

Howling Mob. 85 days. An early white variety. Ears 7 to 9 inches long, with 12 or 14 rows of kernels. Lb. 20 cts.; 2 lbs. 35 cts.; 5 lbs. 90 cts.; 10 lbs. \$1.75.

Stowell's Evergreen. 95 days. A superior late variety. Large ears and sweet white kernels. Lb. 20 cts.; 2 lbs. 35 cts.; 5 lbs. 95 cts.; 10 lbs. \$1.80.


Truckers' Favorite. 85 days. Ears 7 to 8 inches long, with 12 rows of white kernels. Popular in the South for roasting. Lb. 15 cts.; 2 lbs. 25 cts.; 5 lbs. 50 cts.; 10 lbs. 90 cts.

Pop Corn

Lb. 15 cts.; 2 lbs. 25 cts.; 5 lbs. 60 cts.,
not postpaid

South American (T.N.T.). Yellow kernels that pop freely. Ears 7 inches long, with 12 or 14 rows.

White Rice. 110 days. Standard early variety. Kernels pointed, of translucent appearance, white when popped.



Sweet Corn, Ioana

COLLARDS

Sow outdoors and thin or transplant to 2 feet apart. An ounce of seed will sow 100 feet of row.

Georgia or Southern. 75 days. Plants grow 2 to 3 feet tall and produce good greens even on poor land. Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 40 cts.

CUCUMBER

Sow seed after danger of frost is past, using eight to ten seeds to hills space 13 to 5 feet apart. An ounce of seed plants 50 hills.

Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 50 cts.; lb. \$1.80. All Cucumber seed sent ppd.

A. & C. 68 days. The beautiful straight fruits grow about 10 inches in length and 2½ inches thick, well rounded at the end and dark green throughout. Holds color well when pickled.

Chicago Pickling. 60 days. Fruit large, square-ended, rich dark green.

Davis Perfect. 65 days. Fruit dark green with white spines. Disease-resistant. Few seeds.

Early Green Cluster. 52 days. Dark green fruits in clusters, adapted for pickling.

Early Short Green (Early Frame). 58 days. Small fruits for pickling.

Everbearing. 55 days. Early. Will bear entire season if fruits are kept closely picked. Best for pickling.

Improved Early White Spine. 56 days. Popular market sort. Fruit straight, 8 inches long, bright green with whitish green tips.

Improved Long Green. 67 days. Fruit 12 to 14 inches long, dark green. Standard table variety.

National Pickling. 56 days. Fruit straight, with blunt ends, black-spined, deep green. High yielder.

Straight-8. 66 days. Straight, smooth, deep green fruits about 8 inches long. Desirable table variety.

White Wonder. 58 days. Ivory-white fruits in clusters.

Gherkin. 50 days. Light green, spiny, oval fruits, with small seeds. Makes delicious pickles.

DILL

The herb long used to make dill pickles. Sow seed in the open ground and thin to a foot apart each way. The whole plant is generally used in the pickle brine. Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 35 cts.; lb. 95 cts., postpaid.

EGGPLANT

Sow the seed early indoors and transplant outdoors in late May. Allow 2 feet between plants and about 3 feet between rows. An ounce produces about 1000 plants.

Black Beauty. 110 days. Early and productive variety bearing about five large, rich blackish purple fruits to a plant. Pkt. 10 cts.; oz. 30 cts.; $\frac{1}{4}$ lb. \$1.00; lb. \$3.75, postpaid.

ENDIVE

Sow in March for an early crop and in July for a second one. Space the plants about 8 inches apart in rows 1½ feet apart. Blanching is accomplished by tying the outer leaves over the heart of the plant. An ounce plants 150 feet.

Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 45 cts.; lb. \$1.25, postpaid

Broad-leaved Batavian (Escarolle). 90 days. Broad, thick ribs.

Green Curled. 95 days. Finely cut dark green leaves, crisp and tender.

White Curled. 100 days. Rose-tinted ribs and creamy white heart.

KALE or BORECOLE

May be sown from May to September and is not harmed by cold weather. Plants should be about 18 inches apart, in rows 2½ feet apart. An ounce sows 200 feet of row.

Blue Curled Scotch. 55 days. Heavily curled, bluish green foliage with short stems, causing it to lie on the ground. Seldom winter-kills unless temperature goes below zero. Pkt. 10 cts.; oz. 20 cts.; $\frac{1}{4}$ lb. 60 cts.; lb. \$2.00, postpaid.

Dwarf Green Curled Scotch. 55 days. Plant about 1½ feet high, with finely curled, bright green leaves. A heavy producer. Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 50 cts.; lb. \$1.75, postpaid.

Early Curled Siberian. 55 days. Dwarf, spreading plant that grows rapidly and hence matures early. Large green leaves, curled at ends. Extremely hardy. Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 45 cts.; lb. \$1.50, postpaid.

Tall Kale. Spring and summer. Plants tall and erect; leaves plain. Grows rapidly, producing quick greens. Pkt. 10 cts.; $\frac{1}{4}$ lb. 25 cts.; lb. 65 cts., postpaid.

KOHLRABI

Plant in early spring, at the rate of an ounce for 200 feet of row. Thin the plants to stand 6 inches apart, in rows 18 inches apart. Use the bulbs while they are young and tender.


Early White Vienna. 55 days. Very early. Smooth white bulbs of medium size, and tender white flesh. Pkt. 10 cts.; oz. 25 cts.; $\frac{1}{4}$ lb. 90 cts.




Kale, Curled Scotch



Cucumber, Straight-8




Endive, Broad-leaved Batavian




Eggplant, Black Beauty



Lettuce, New York, No. 12.



Lettuce, Grand Rapids



Mustard-Spinach
(Tendergreen)



Muskmelon, Honey Rock

LETTUCE

Head Lettuce should be spaced about a foot apart, but loose-leaf kinds can be set closer together. Sow in rich soil and transplant. An ounce of seed plants 300 feet of row.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 45 cts.; lb. \$1.50, except as noted

Head Varieties

All-Season. 73 days. Medium-sized, compact heads.

Big Boston. 76 days. Solid head; leaves tinged bronze at the edges, heart light yellow. Crisp and tender.

California Cream Butter. 75 days. Leaves thick, dark green, spotted with brown; heart golden yellow.

Crisp-As-Ice. 74 days. Leaves broad, crumpled and stiff. Head solid.

Denver Market. 78 days. Heads cone-shaped. Leaves light green, crisp, and tender.

Iceberg. 84 days. Plants should be well spaced. Extra-large heads, light green, tinged brown; hearts very white and sweet. Good for both spring and summer. Pkt. 10 cts.; oz. 20 cts.; 1/4lb. 70 cts.; lb. \$2.00.

Imperial 44. 82 days. Good variety of winter Lettuce. Compact, medium-sized plant, producing a hard and well-formed head, with long leaves. Pkt. 10 cts.; oz. 20 cts.; 1/4lb. 70 cts.; lb. \$2.00.

Improved Hanson. 78 days. Head large, firm, with yellowish green center leaves. Good for midsummer planting.

New York No. 12 (Wonderful). 77 days. A strain of the original New York Lettuce, and well adapted to summer weather. Immense heads with outer leaves crumpled and notched; blanches easily. Pkt. 10 cts.; oz. 20 cts.; 1/4lb. 70 cts.; lb. \$2.00.

Prize Head. 47 days. Desirable home-garden variety. Leaves broad and frilled, outer ones, tinged red, inside ones green.

Loose-Leaf Varieties

Black-seeded Simpson. 70 days. Light green leaves with frilled edges. Standard home-garden variety.

Early Curled Simpson. 50 days. Popular home-garden Lettuce. Leaves broad, frilled, bright green.

Grand Rapids. 43 days. An early variety adapted to forcing or open ground. Broad, wavy, light green leaves.

Romaine or Cos Lettuce

Hick's Hardy White Winter. Forms a large, upright, loose head. Outer leaves light green; inner ones blanch white if the head is tied. Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 45 cts.; lb. \$1.50.

Muskmelons of choicest quality can be grown with a little extra care by starting the plants in hotbeds, or in pots indoors in the manner described for handling cucumbers. No trouble or effort should be spared in preparing the hills well, and manuring them. Thorough cultivation should be given at all times and abundant water, but the vines should be disturbed as little as possible. As a rule, the large-fruited varieties are easier to grow than the smaller types.

MUSKMELON

Melons grow best in rich, sandy soil. Drop ten to twelve seeds in hills spaced 4 to 6 feet apart. Thin to about three strong plants to a hill. An ounce plants 50 hills; 2 pounds an acre.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 45 cts.; lb. \$1.45, postpaid

Banana. 98 days. A pink-fleshed melon, long, tapered at both ends. Plant vigorous and reasonably hardy.

Delicious Gold-lined Rocky Ford. 95 days. A strain of the Rocky Ford with green flesh and gold lining next to the seed cavity. Sweet and spicy; excellent in all respects.

Emerald Gem. 87 days. Yellow flesh. Fruits slightly flattened, of medium size, and desirable for home use.

Extra-Early Knight. 87 days. Skin ribbed and covered with gray netting. Juicy green flesh, thick and sweet.

Hale's Best. 85 days. Fruit oval, heavily netted. Flesh thick, light salmon in color, very sweet. Small seed-cavity.

Hearts of Gold (Hoodoo). 88 days. Thick, sweet, orange flesh. Fruits nearly round, with thin but firm rind.

Honey Dew. 110 days. Green flesh, with a distinctive sweet flavor. Requires a warm location and a long growing season.

Honey Rock (Sugar Rock). 81 days. Flesh light pink, thick; small seed-cavity. Slate-gray rind with coarse netting. Very popular.

Improved Perfecto. 88 days. Pink flesh. Fruits 6 inches or more in diameter, with skin netted, cream-color when ripe.

Large Hackensack. 88 days. Thick green flesh. Fruit large, round, slightly flattened at the ends.

Milwaukee Market. 87 days. Pink flesh of excellent flavor.

Rocky Ford (Netted Gem). 92 days. Thick, sweet, green flesh; small seed-cavity.

Tip-Top. 90 days. Popular market-garden sort. Flesh salmon, sweet and delicious. Fruit large, slightly ribbed.

MUSTARD

Seed may be sown in spring or fall, an ounce to 100 feet of row. Thin to 6 inches apart, in rows 18 inches apart.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 50 cts.; lb. \$1.35, postpaid

Giant Southern Curled. 35 days. Popular in the South, especially for late sowing. Yellowish light green leaves with curled edges.

Mustard-Spinach (Tendergreen). 45 days. Leaves narrow, dark green. Since plants are slow to send up seed-stalks, it can be grown in hot as well as cool weather. Desirable home-garden variety.

White. 40 days. Leaves are used for greens, and seed for flavoring.

OKRA

Plant after the ground is warm and dry, and space the seed 6 inches apart in the row. Thin to 18 inches apart. An ounce sows 50 feet of row.

Dwarf Green Long-pod. 50 days. Compact plant 2 to 3 feet high, producing dark green pods that remain in good condition until fully matured. Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 35 cts.; lb. 75 cts., postpaid.

ONIONS

Start seed indoors and set out the young plants in rich, well-drained soil, after frost is past. They should be spaced 4 inches apart, with 18 inches between rows. An ounce will sow 100 feet of drill.

Pkt. 10 cts.; oz. 45 cts.; 1/4lb. \$1.50; lb. \$5.50, postpaid, unless otherwise noted.

Bermuda, Yellow. 93 days. Straw-colored skin and pure white flesh.

Bermuda, White. 95 days. White skin and flesh.

Bottle or Jug. 100 days. Bulb long, narrow, light-colored and mild.

Ebenezer or Japanese. 100 days. Flat bulb with yellow skin and white flesh. Keeps well.

Large Red Wethersfield. 100 days. Bulbs flattened, thick, with purplish red skin and white flesh. Does well on poor land. Good keeper.

Prizetaker. 105 days. Extra-large bulb with yellow skin and white flesh. Can be grown to large size from seed.

Silverskin. 105 days. White skin and flesh; mild flavor. A fine table variety, also used for seed and pickling.

Sweet Spanish. Globe-shaped, with small neck. Skin golden yellow; flesh of mild flavor. Pkt. 10 cts.; oz. 50 cts.; 1/4lb. \$1.80; lb. \$7.00.

Yellow Globe Danvers. 110 days. Medium large, round, solid. Coppery yellow skin and white flesh; small neck. A well and favorably known Onion.

ONION SETS

Plant in spring, as soon as the ground can be prepared, or in the fall. 1 quart of sets will plant 100 feet of row, 3 to 5 bushels an acre.

We do not prepay postage on Onion Sets

PRICES ARE SUBJECT TO CHANGE

	Qt.	Gal.	Bus.
Bottle or Jug	\$0 25	\$0 95	\$7 00
Ebenezer	25	95	7 00
Red Wethersfield	25	95	7 00
Silverskin	25	1 00	7 50
Yellow Globe Danvers	25	95	7 00
Potato or Hill set	Market Price		

PARSLEY

Soak the seed overnight before planting, to hasten germination. Cover it lightly and protect with bags. An ounce sows 200 feet of row.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 40 cts.; lb. \$1.00, postpaid

Moss Curled. 70 days. Finely cut, dark green leaves, used for garnishing and flavoring. Grows about 8 inches high.

Plain or Single. 70 days. Leaves deeply cut, dark green and flat. Very hardy.

PARSNIP

Sow in rows early in the spring and thin to 6 inches apart, with 18 inches between rows. The flavor is improved by leaving the roots in the ground over winter. An ounce sows 200 feet of row.

Hollow-Crown. 100 days. Well-flavored, smooth white roots growing 8 to 10 inches long. Largely grown all over the country. Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 40 cts.; lb. \$1.25, postpaid.

PEAS

Plant the seed an inch deep and an inch apart in rich, well-drained soil in early spring, and every two weeks after that until June for a succession. Sow it in double rows 6 to 8 inches apart, and the rows 2 to 3 feet apart. Smooth-seeded varieties may be planted as soon as the soil is workable, but wrinkled-seeded kinds should not be planted until the ground is warm. A pound of seed sows 100 feet of drill.

Lb. 25 cts.; 2 lbs. 45 cts.; 5 lbs. \$1.10; 10 lbs. \$2.10, except where otherwise noted. We do not prepay postage on Peas.

Bush Varieties

American Wonder. 60 days. Short pods well filled with tender, wrinkled Peas. Height 1 ft.

Blue Bantam. 60 days. Market-gardener's variety. Well-filled pods holding 8 to 10 Peas. Very productive and strong growing. Height 15 in. Lb. 25 cts.; 5 lbs. \$1.10; 10 lbs. \$2.00.

Dwarf Gray Sugar. 62 days. Heavy producer of broad flat pods which are delicious when cooked. Seed brown and wrinkled. Height 2 ft.

Early Alaska. Wilt-resistant. 58 days. Round dark green pods containing 5 to 8 smooth, tender Peas. Height 2 1/2 to 3 ft. Lb. 20 cts.; 5 lbs. 90 cts.; 10 lbs. \$1.75.

Early Bird. 60 days. Pods deep green, rather broad, containing 8 or 9 large, semi-wrinkled green Peas. Fine for the home garden. Height 20 in.

Laxton's Progress. 64 days. Vines 1 1/2 feet high, bearing heavy crops of large pods, holding from 8 to 10 wrinkled Peas.

Little Gem or Marvel. 62 days. Vines 15 inches high, bearing round pods in pairs. Large, deep green, wrinkled Peas. Heavy producer.

Nott's Excelsior. 62 days. A popular medium-early wrinkled Pea of excellent quality. Height 14 in.

Roger's Giant-Podded Hamper. 65 days. Large wrinkled Peas in dark, heavy pods 4 1/2 to 5 inches long. Height 22 in.

Wyoming Wonder (Gilbo). 69 days. Wilt-resistant. Pods 5 inches long or more, filled with Peas that are tender and sweet for a week or more after ripening. Height 2 ft.

Pole Varieties

The vines are tall and need support.

Champion of England. 82 days. Long pods containing large, green wrinkled Peas. Height 4 1/2 to 5 ft.


Improved Gradus (Prosperity). 65 days. Strong plants producing pods of 6 to 8 immense wrinkled Peas. Yields a heavy crop if planted in rich soil. Height 3 ft.

Large White Marrowfat. 80 days. Pods about 3 inches long, holding 5 or 6 Peas. The dry seed is creamy white, with a white eye. Height about 4 ft.


Mammoth White Sugar. 74 days. Grows about 4 1/2 feet. Light green pod, 4 inches long, with large, white, smooth Peas. Wilt-resistant.

Telephone. 70 days. Long pods containing 8 to 10 large, green, wrinkled Peas of fine flavor. Height 3 1/2 to 4 ft.


Thomas Laxton. 62 days. Rapid-growing vine, reaching 3 feet. Pods long, well filled to the end with cream-colored, wrinkled Peas. Excellent for the home garden.



Onion, Prizetaker



Parsley, Moss Curled



Peas, Little Gem



Pepper, Ruby King

PEPPERS

Start seed in a hotbed in early spring and transplant the seedlings to the open ground after all danger of frost is past. Set them 18 inches apart each way in land that is not too rich. An ounce of seed will produce about 1200 plants.

Pkt. 10 cts.; oz. 25 cts.; 1/4lb. 80 cts.; lb. \$2.75. All Pepper seed sent postpaid

California Wonder. 120 days. Very large, heavy, and of excellent quality. The meat is thick, of good flavor and withstands shipping. A good variety for stuffing and serving whole.

Chinese Giant. 130 days. Small plant, bearing very large fruits, deep green turning scarlet. Popular because of its size and mild flavor.

Long Red Cayenne. 120 days. A hot variety. Long, slender, pointed and twisted fruits, changing in color from deep green to bright red.

Pimiento (Perfection). 130 days. Mild variety with thick flesh, which holds up for a long time. Conical fruits profusely produced.

Ruby King. 110 days. Large fruit with sweet flavor and brilliant color.

Sweet Mountain. 120 days. Plant grows upright. Large fruits, often 6 inches long and 2 inches thick.

PUMPKIN

Plant four to six seeds in hills about 8 feet apart, after all danger of frost is past; or interplant it with corn. Thin to three plants to a hill. An ounce will plant 25 hills.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 35 cts.; lb. \$1.00, postpaid

Cushaw, Green-striped. 115 days. A crookneck variety. Creamy white skin marked with green. Flesh light yellow, coarse but sweet.

Cushaw, White. 112 days. Similar to the preceding but skin pure white. Fruit slightly smaller and with shorter neck.

Kentucky Field (Large Cheese). 108 days. Fruits round, slightly flattened, ribbed. Skin creamy buff; flesh yellow, of fine quality.

King of the Mammoths. 120 days. Often called "Jumbo" because of its size. Specimens may weigh 100 pounds. Excellent both for pies and feeding stock.

Little Sugar (New England Pie). 115 days. Small, round sort with sweet, dry, rich yellow flesh. Ideal for home gardens.



Radish, Crimson Giant

Tennessee Sweet Potato. 110 days. Bell-shaped fruit, with white skin striped green, and creamy white flesh.

Virginia Mammoth. 115 days. Very large, oval fruits that keep well. Thick flesh.

RADISH

To be tender and crisp, Radishes must be grown quickly in rich, moist soil. Sow the seed in the open ground, at intervals during the summer, for a continuous crop; or under glass from February to October. An ounce of seed plants 100 feet of row.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 35 cts.; lb. 80 cts., postpaid

China Rose Winter (Scarlet China Winter). 58 days. Half-long stump with deep rose skin and white flesh. A winter variety that should be planted in July or August, to be dug before frost and stored in the cellar.

Crimson Giant. 25 days. Extra-large, globe-shaped Radish 1 to 1 1/2 inches thick, deep crimson outside, with firm white flesh.

French Breakfast. 25 days. Oblong form. Scarlet with white tip, mild and tender.

Long Bright Scarlet. 35 days. Grows 7 to 8 inches long, brilliant scarlet. One of the best.

Long White Icicle. 30 days. Roots 5 to 6 inches long, pure white and mild flavored.

Round Black Spanish. 60 days. Another winter variety. Roots 2 to 3 inches thick, with black skin and pure white flesh.

Saxa. 22 days. For early forcing. Bright scarlet root with exceptionally small top. Highly recommended.

Sparkler, White Tip. 24 days. Globe-shaped root with upper portion carmine-scarlet and pure white tip. Solid, crisp, and sweet.

White Strasburg. 40 days. Roots about 1 1/2 inches thick, often reaching 6 inches in length. Smooth pure white skin. Stays tender a long time.

RHUBARB

Set the roots out in the fall, 3 or 4 inches deep and 3 feet apart, in heavily manured ground. Seed should be sown an inch deep in early spring and the seedlings thinned to 6 inches apart, to be moved to their permanent location in the fall. An ounce of seed will produce 500 plants.

New Pineapple. Seed, pkt. 10 cts.; oz. 20 cts.; 1/4lb. 50 cts.; lb. \$1.25, postpaid. Roots, 3 for 50 cts.; \$1.25 per doz., not postpaid.

RUTABAGA

Plant in the open ground in late spring and thin the seedlings to at least 6 inches apart, in rows 2 feet apart. The roots keep well through the winter. An ounce of seed sows 100 feet of row.

Improved American Purple-Top. 85 days. Large roots with yellow skin and purple tops; flesh pale yellow, fine-grained. Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 40 cts.; lb. \$1.45, postpaid.

SALSIFY (Oyster-Plant)

Sow outdoors in early spring in light, mellow soil, thinning to 5 inches apart, in rows a foot apart. May be left in the ground all winter, like parsnips. An ounce of seed sows 50 feet of row.

Mammoth Sandwich Island. 120 days. Roots 7 to 8 inches long, with mild, almost white flesh. Good oyster flavor. Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 50 cts.; lb. \$1.75, postpaid.

SPINACH

Sow seed outdoors in early spring and at ten-day intervals until late April. For a fall crop, sow in August, and for a winter one, in September or October. Thin the young plants to 4 inches apart, in rows 18 inches apart. An ounce of seed sows 100 feet of row.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 35 cts.; lb. 85 cts., postpaid

Bloomsdale Long-standing. 45 days. More heavily crumpled than other varieties. Excellent for late sowing to carry over winter.

Giant Nobel Thick-Leaf. 42 days. Heavy yielder of medium green, thick, tender leaves.

Old Dominion or Virginia Blight-Resistant. 40 days. Large, dark green heavily crumpled leaves, crisp and tender. Adapted to fall weather.

SQUASH

Sow seed in early spring, in hills about 4 feet apart for bush varieties, and 6 to 8 feet for the running sorts. Winter varieties should be stored in a warm place. An ounce of seed plants 25 hills of the summer varieties; 20 hills of the winter kinds.

Pkt. 10 cts.; oz. 15 cts.; 1/4lb. 40 cts.; lb. \$1.00, postpaid

Cocozelle Bush. 60 days. Deep green fruits marked with yellow and green, often 14 inches long, tender and sweet.

Early White Bush (Pattypan). 55 days. Fine dwarf sort producing many small white Squashes with scalloped edges.

Early Yellow Bush Scallop (Golden Cluster). 60 days. Fruit flat, scalloped, pale yellow.

Fordhook. Delicious fruit 8 to 10 inches long, with creamy white skin. Excellent when small or when fully grown.

Golden Summer Crookneck. 52 days. Fruit about 1 foot long, bright yellow, with crooked neck.

Winter Squash

Banana. 110 days. Fruits 2 1/2 feet long and 6 inches across. Shell gray-green; flesh yellow, with small seed-cavity.

Hubbard. 105 days. Most popular Winter Squash. Fruits hard, with warted green skin and yellow flesh of rich quality.

TOMATO

Sow seed in hotbeds or flats in February or March; transplant when the plants have four leaves, and when danger of frost is past, set in the open ground. Space the plants at least 3 feet apart each way, and support them with stakes or wires. An ounce of seed will produce about 1500 plants.

All Tomato seed sent postpaid

Beefsteak. 90 days. Wilt-resistant. A main-crop variety for home and market gardens. Fruit large, flat, smooth, bright scarlet. Pkt. 10 cts.; oz. 35 cts.; $\frac{1}{4}$ lb. \$1.25; lb. \$4.75.

Bonny Best, Certified. 73 days. Standard early, smooth, bright red fruits, ripening to the stem. Pkt. 10 cts.; oz. 25 cts.; $\frac{1}{4}$ lb. 80 cts.; lb. \$2.75.

Break o'Day. 70 days. Wilt-resistant. Early and extremely productive. Fruits large, smooth, globe-shaped, bright red. Desirable for both home and market use. Pkt. 10 cts.; oz. 30 cts.; $\frac{1}{4}$ lb. 95 cts.; lb. \$3.25.

Brimmer. 90 days. A large-fruited variety for home gardens. Uniform in size, flat, dark pink, coreless and solid. Flavor very mild. Pkt. 10 cts.; oz. 40 cts.; $\frac{1}{4}$ lb. \$1.50; lb. \$5.50.

Early Detroit. 82 days. Fruit nearly globe-shaped, firm, purplish pink. Vigorous, productive vines. Pkt. 10 cts.; oz. 35 cts.; $\frac{1}{4}$ lb. \$1.00; lb. \$3.50.

French American. 90 days. Our own introduction. Fruits especially fine for slicing. Mild in flavor, without acid, very solid, with few seeds; frequently weighs 2 to 3 pounds each. Pkt. 10 cts.; oz. 45 cts.; $\frac{1}{4}$ lb. \$1.50.

Greater Baltimore. (Cert. Ind. Strain.) 83 days. Wilt-resistant. A superb second-early and main-crop Tomato. Fruit red. Preferred by canners, because of quality. Pkt. 10 cts.; oz. 20 cts.; $\frac{1}{4}$ lb. 70 cts.; lb. \$2.00.

John Baer. 73 days. Bright red, smooth, even-ripening fruit. Heavy yielder and extra early. Pkt. 10 cts.; oz. 20 cts.; $\frac{1}{4}$ lb. 70 cts.; lb. \$2.00.

June Pink. 60 days. The earliest pink variety and in demand on many markets. Pkt. 10 cts.; oz. 30 cts.; $\frac{1}{4}$ lb. \$1.00; lb. \$3.50.

Marglobe Certified. 77 days. A highly recommended variety that bears for a long time. Strong, healthy plants bear beautiful red fruits, meaty and acid-free. Pkt. 10 cts.; oz. 25 cts.; $\frac{1}{4}$ lb. 80 cts.; lb. \$2.75.

New Stone. 86 days. Standard main-crop sort. Fruit oval, solid and smooth. Pkt. 10 cts.; oz. 20 cts.; $\frac{1}{4}$ lb. 60 cts.; lb. \$1.85.


Oxheart. 90 days. Heart-shaped fruit often weighing 3 lbs. Skin pink; flesh firm, sweet and almost seedless. Pkt. 10 cts.; oz. 45 cts.; $\frac{1}{4}$ lb. \$1.50; lb. \$5.75.

Ponderosa, Improved. 88 days. One of the largest Tomatoes. Fruit solid, smooth, and of good quality. Desirable for home use. Pkt. 10 cts.; oz. 40 cts.; $\frac{1}{4}$ lb. \$1.35; lb. \$4.25.

Pritchard or Scarlet Topper. 73 days. A recent disease-resistant introduction. Fruit large, smooth, almost round, and carrying the bright scarlet color clear to the stem end. Flesh deep red, with few seeds and no core. Pkt. 10 cts.; oz. 30 cts.; $\frac{1}{4}$ lb. 85 cts.; lb. \$3.25.



Tomato, Marglobe Certified



Turnip, Purple-Top White Globe

WATERMELON

Grown like muskmelons, but the hills should be 8 to 10 feet apart. An ounce of seed plants 30 hills.

Pkt. 10 cts.; oz. 15 cts.; $\frac{1}{4}$ lb. 35 cts.; lb. 90 cts., postpaid

Dixie Queen. 85 days. A new variety. Oval-round melon with light green rind striped dark green, often weighing 50 pounds. Flesh bright red, finely flavored. Uniform in size and quality.

Florida Favorite. 87 days. Fruits long, with dark green mottled skin. Very sweet, bright red flesh.

Halbert Honey. 87 days. Skin dark green; flesh bright scarlet. A superb variety.

Hawkesbury Wilt-Resistant. 85 days. Oblong, light gray melons with fine green veining. Flesh dark pink, of good quality; seed brownish black.

Improved Kleckley Sweet No. 6. 88 days. Wilt-resistant. An improvement on the older variety because of its resistance to fusarium wilt. Rich red flesh and white seeds. Quality and flavor equal to any other melon.

Jackson. 88 days. Melon of medium size, long, with mottled green skin. Flesh red, sweet and crisp, ripening close to the rind.

Kleckley Sweet (Monte Cristo). Popular for nearby markets. Fruits medium size, dark green, with thick rind and bright scarlet flesh that is solid, crisp, sugary.

Leesburg Wilt-Resistant. Derived from Kleckley Sweet, but not quite so long, with block ends. Flesh deep rose-pink, sweet and of fine texture.

Stone Mountain. 85 days. One of the most popular melons for general use, broad-oval in shape, with blunt ends. Skin dark green, with light green veining; rind thick. Flesh bright crimson, sweet and crisp.

Stone Mountain Improved No. 5. 85 days. Wilt-resistant. Developed from Stone Mountain and has proved to be resistant to fusarium wilt. Resembles its parent in every respect except that it is smaller.

Tom Watson. 92 days. An improved strain. Melons 1½ to 2 feet long, 10 inches in diameter, with deep red, crisp flesh. Flavor delicious. Average weight 30 pounds. A favorite home-garden sort.

TURNIPS

Sow in early spring, and for winter use make another sowing in midsummer or early fall. Seedlings should be thinned to stand 4 or 5 inches apart in rows 12 to 15 inches apart. An ounce of seed sows 100 feet of row.

Pkt. 10 cts.; oz. 10 cts.; $\frac{1}{4}$ lb. 25 cts.; lb. 55 cts., postpaid

Golden Globe (Amber Globe). 75 days. Flesh yellow, firm, sweet. Best for table use when 3 to 4 inches in diameter.

Purple-top Strap-leaf. 45 days. Top dark reddish purple, lower portion white; flesh tender and sweetly flavored.

Purple-top White Globe. 55 days. Very popular for home and market gardens. Flesh firm, sweet, fine-grained. Globe-shaped solid roots, purple-red above and white below. Keeps well.

Seven-Top. 45 days. The tops are used for greens. Very popular and a most palatable food.


Shogoin. 45 days. Largely grown in the South, where the tops are used for greens. Small white roots are also edible.

White Milan. 40 days. Very early. Medium-sized flat roots with smooth skin and white flesh.

TOBACCO SEED

Big Oronoko. Pkt. 10 cts.; oz. 40 cts.; $\frac{1}{4}$ lb. \$1.25; lb. \$4.00, postpaid.

MAINE-GROWN CERTIFIED SEED POTATOES



The experience of growers all over the country proves that seed Potatoes produced in the North yield far higher returns than home-grown seed. We therefore offer Maine-grown seed Potatoes which you will find of the same high quality as other Wetsel seed.

Chippewa. An origination of the U. S. Department of Agriculture which has consistently yielded higher than Irish Cobbler and Green Mountain in official tests from Maine to Florida. A smooth, light-skinned variety with shallow eyes, maturing about a week later than Irish Cobbler.

Green Mountain. A heavy producer on almost any soil, but does especially well in the northern sections where there is plentiful rainfall. Smooth, oval, white-skinned tubers, uniformly large in size.

Irish Cobbler. The standard early white Potato on all markets, and continues to lead all others in demand. White-skinned, smooth, round, thick tubers, ready about 10 days earlier than Early Rose. Vigorous vines, not so much affected by blight or drought as most varieties.

Katahdin. Another new variety developed in Maine by the U. S. Department of Agriculture. A smooth, oval, white variety with shallow eyes, making a fine appearance. A heavy producer doing best on light soil; should not be planted on heavy soil subject to drought.

Red Bliss or Bliss Triumph. A heavy yielder of mature Potatoes for table use at the earliest possible date. Sometimes called the "Six-weeks Potato."

Spaulding Rose. A medium-early sort for growing in sandy loam. Skin pale pink; flesh pure white, of good quality. Good yielder.

No. 2 Potatoes from Certified Seed. We can supply Maine-grown No. 2 Potatoes from Certified Seed at a somewhat lower price than the Certified or Select stock. Although the tubers are smaller, they will cut to better advantage and are more economical for planting. Highly recommended for planting in June and July. Our Potatoes are kept in cold storage and are just as firm and solid in July as in March.

Ask for prices

Spray Your Potato Vines

Whether you grow for market or for home use, the vines must be sprayed if you intend to harvest a good crop.

Sherwin-Williams Potato Spray. The recognized fungicide and insecticide. Prevents diseases and stimulates the plants.

Arsenate of Lead and Paris Green. Use to kill leaf-eating insects.

Semesan Bel. Prevents disease in potatoes and increases the yield.

Spray Materials are described on page 31 and Sprayers on page 32.



Frost-Proof Cabbage Plants

For Shipment in lots of 50 plants
February 15 to April 15

	At Store	Postpaid
50 Plants.....	\$0 15	\$0 25
100 Plants.....	30	40
250 Plants.....	60	75
500 Plants.....	1 10	1 40
1000 Plants.....	1 75	2 15

Nothing but first-class stock shipped, and at purchaser's risk. Varieties: Early Jersey Wakefield, Early Flat Dutch, Charleston Wakefield and Copenhagen Market.

Southern-grown frost-proof Cabbage plants are far superior to hotbed or cold-frame plants for early planting, and cost less than one-half as much.

Home-Grown Plants in Season
Cabbage and Tomato. Inquire for prices.

Bermuda Onion Plants



Varieties: Crystal White Wax, Yellow Bermuda, Sweet Spanish, Valencia River-side Strain, Prizetaker. Famous Brand grown by Dodge Plant Farms.

These hardy plants will save time for you in the garden. Set them out early in the spring, 4 inches apart in rows 1½ feet apart. By ordering early you will be sure to have the plants before warm weather.

Ask for prices on 100 plants, 200 plants, 500 plants, 1000 plants, or by the crate. No order accepted for less than 100.

(Safe delivery of plants by mail not guaranteed.)



New Method of
Plant Protection

WATCH YOUR GARDEN GROW

Protect plants from frost, wind, rain and insects. Mature crops earlier—miniature hothouses. Have the earliest garden this year.

	Ppd.	Not Ppd.
Roll of 1000 Kaps.....	\$10 00	\$9 75
Roll of 250 Kaps.....	3 90	3 70
Roll of 25 Kaps.....	65	50

1943 ALL-AMERICA SELECTION WINNERS



Petunia, English Violet

Petunia, English Violet

Honorable Mention

This variety adds a new and distinctive color to the dwarf Petunias—rosy mauve-violet or purple-violet. It grows 12 to 15 inches tall, but is more spreading than Igloo—more like Blue Bedder in this respect. Very free in bloom. Pkt. 25 cts.

All-double Petunia, America

Silver Medal Winner

A carnation-flowered variety of the bedding type that is extremely prolific in bloom. The blooms are an attractive rosy pink in color, and fully double. The flowers, stems and foliage are less sticky than most other Petunias, making them more easily handled. They are good for cutting and for window-boxes as well as for display in the garden. Pkt. 25 cts.



Cosmos, Dazzler

Giant Sensation Cosmos, Dazzler

Honorable Mention

A striking addition to the new largest-flowered class of Cosmos, the Giant Sensation. Dazzler is deep amaranth-crimson in color. The 3 to 4-inch flowers start appearing on the plant when it is about 2½ feet tall; the ultimate height is 5 to 6 feet. Finely cut, feathery, light green foliage. Excellent for the back of the border. Pkt. 25 cts.

Marigold, Sunkist

Silver Medal Winner

An orange-colored companion for the 1941 All-America variety, Butterball. Very early and continuous in bloom; plant is dwarf, compact, of double French Harmony type. It grows only about 6 to 12 inches tall. The blooms, 1½ inches across, completely cover the plant and make a fine show of color for bedding, edging and pot culture. Pkt. 25 cts.



Petunia, Igloo

Petunia, Igloo


Bronze Medal Winner

An extremely showy plant used for potting, and in beds and borders. Flowers are about 1½ inches across, creamy white with yellowish throats. Dome-shaped plant, very compact and uniform, reaching 12 to 15 inches in height. A profuse bloomer over a long season—probably a better producer of flowers than any other Petunia. A valuable addition. Pkt. 25 cts.

*All-America Winners
are chosen on the
basis of actual per-
formance in test-gar-
dens the country over.*



Petunia, All-double, America



Marigold, Sunkist

OUTSTANDING ANNUAL FLOWERS



Aster, Giant California, Sunshine

ASTERS

For massing in the garden and for cutting, Asters furnish most attractive flowers in late summer and fall. Bone-meal rather than barnyard manure is recommended as a fertilizer. Be particular not to plant Asters two successive years in the same location.

Giant California, Sunshine. Produces 4-inch flowers with long narrow petals of snow-white to deep blue, light and dark shades of pink. Yellow center of quill-like petals. Mixed. Pkt. 10 cts.

Giant Peony-flowered. Large double flowers that keep well when cut. Mixed colors. Pkt. 10 cts.

Giants of California, Improved. Huge flowers like chrysanthemums, borne on long stems from late summer to frost. Mixed colors. Pkt. 10 cts.

Los Angeles. Large, double, shell-pink flowers on plants 2½ feet high. Pkt. 10 cts.

Super-Giant El Monte. Fluffy flowers 6 inches across, of deep glowing crimson. Blooms early; plant 2½ feet tall. Pkt. 10 cts.

Wilt-Resistant Strains

These strains are successful where other types of Asters fail to bloom.

Giant Branching Comet. Large blooms in fine mixed colors. Pkt. 10 cts.

Ostrich Feather Improved, Tall. Mixed colors. Pkt. 10 cts.

All Wilt-Resistant Varieties, Mixed. Pkt. 10 cts.

CLEOME

Pink Queen. All-America Selection, 1942. Tall border plant 4 feet high, blooming from June to frost. Huge heads of pink flowers, turning white before falling. Pkt. 25 cts.

COSMOS

Burpee's Yellow Flare. All-America Selection, 1942. Rich butter-yellow flowers on long, wiry stems. Free-blooming plants 3 to 4 feet high. Pkt. 15 cts.



Larkspur, Giant Imperial

LARKSPUR

Emperor. Double blooms in mixed colors on dwarf, branching plants. Pkt. 10 cts.

Giant Imperial. Base-branching type producing long bloom spikes. Mixed colors—light and dark blue, carmine, pink and white. Pkt. 10 cts.

Giant Imperial, Lilac King. All-America Selection, 1942. Fully double flowers of a clear lilac shade on spikes that are ideal for cutting. Very upright plants. Pkt. 10 cts.


Pink King. Soft salmon-rose, fine for cutting. Pkt. 10 cts.

MARIGOLDS

One of the most dependable plants for the summer garden. Easy to grow, they furnish plenty of color in brilliant shades of yellow, orange, and maroon. Many varieties make excellent cut-flowers.

Chrysanthemum-flowered. Large chrysanthemum-like blooms. Pkt. 10 cts.

Double African. Large, globular flowers in mixed colors. Tall plants, reaching 2½ feet. Pkt. 10 cts.



Cleome



Marigold, Yellow Supreme

Dwarf French, Butterball. All-America Selection, 1942. Lovely 2-inch flowers of soft butter-yellow, with crested center of dainty tubular petals. Plants 6 to 8 inches high, covered with a blanket of bloom early in the season. Pkt. 15 cts.

Dwarf French, Monarch Strain. A highly selected strain of double flowers in shades of mahogany, striped or edged golden yellow. Very floriferous. Pkt. 10 cts.

Dixie Sunshine, Double. Fully double, rich golden yellow flowers 2 to 3 inches in diameter. Plant 4 to 6 feet tall; luxuriant foliage. Pkt. 10 cts.

Guinea Gold. Brilliant golden orange, semi-double and double blooms with ruffled petals. Good for cutting. Plants 2 to 2½ feet high. Pkt. 10 cts.

Pot o'Gold. All-America Selection, 1941. Deep golden orange blooms 4 inches across and all double. Plant only a foot tall, blooming about two weeks earlier than other varieties. Pkt. 10 cts.

Sunrise. Dazzling golden yellow, ball-shaped, double flowers on a 3-foot plant. Long blooming season. Pkt. 10 cts.

Scarlet Glow. All-America Selection, 1941. Dwarf double French variety of deep scarlet. Plant grows about 10 inches high, with a spread of 18 inches. Blooms ten weeks from seed. Pkt. 10 cts.

Sunset Giant. Sweet-scented, huge yellow blooms of loose form with a full center, making a very deep flower. Plant 3½ feet tall. Pkt. 10 cts.

Yellow Supreme. Fragrant, rich yellow flowers 3 inches across. Fluffy, and carnation-like in form, with broad, loose, frilled petals. Vigorous and free branching. Pkt. 10 cts.

NIEREMBERGIA

Purple Robe. All-America Selection, 1942. Deep violet-purple, keeping its color well even in full sun. Neat, compact plant only 6 inches tall, of very free-flowering habit. Blooms about fifteen weeks from the time seed is sown. Very fine for edging and the rock-garden. Pkt. 25 cts.



Nasturtium, Golden Gleam

NASTURTIUMS

A popular annual for bedding, producing bright-colored blooms over a long period. Colorful and dependable, it will thrive and bloom freely even in poor, sandy soil if given a sunny location. Sow outdoors in April or May.

Gem Mixture. Sweet-scented double flowers in light and dark shades. Plants dwarf and compact. Pkt. 10 cts.; oz. 35 cts.

Golden Gleam. Large, double blooms of intense golden yellow. An abundant producer; very popular. Pkt. 10 cts.; oz. 25 cts.

Scarlet Gleam. Dazzling, fiery scarlet. Pkt. 10 cts.; oz. 20 cts.

Dwarf, Single Varieties, Mixed. Pkt. 10 cts.; oz. 25 cts.

Tall, Single Varieties, Mixed. Trailing plants reaching a height of 5 feet. Good for scrambling over fences, stumps and stone-piles. Pkt. 10 cts.; oz. 25 cts.

PANSIES

An old-time flower that will never lose its charm. Seed may be sown in August or September to produce flowers the next year, or it may be started indoors in February and transplanted outdoors later the same season. Choose a sunny, well-fertilized place.

Engelmann's Giants. Vigorous, compact plants, blooming early. Huge flowers in both light and dark shades. Pkt. 10 cts.

Oregon Giants. A fine mixture of colors. Bloom over a long period. Pkt. 10 cts.

Swiss Giants (Roggl Hybrid). Very large blooms on long, strong stems. Fine colors—purple, blue, yellow, red and mottled. Pkt. 10 cts.



Nierembergia



Petunia, Giants of California

PETUNIAS

A favorite for bedding and for use in window-boxes. Blooms from early summer to late fall. Many different types have been introduced, of which we offer some good representatives.

Balcony. Long, sprawling plants 18 inches high. Single flowers 3 inches across, especially good for window-boxes. Mixed colors—white, rose, and blue. Pkt. 10 cts.

Giants of California. Mixed colors in a variety of lovely shades, with pronounced yellow throats. Pkt. 20 cts.

Heavenly Blue. Silvery blue flowers on a compact plant. Free bloomers. Pkt. 10 cts.

Martha Washington. Ruffled bluish-pink flowers with red veinings; open center, with a violet throat. Dwarf plant only 9 inches high. Pkt. 20 cts.

Nana Compacta. Dwarf bedding Petunia. Mixed colors. Pkt. 10 cts.

Rose Gem. Miniature flower only 2 inches in diameter, of deep rich rose color. Compact, 6-inch plants, blooming freely. Pkt. 10 cts.

Rosy Morn. Rose-colored blooms with a white throat. Plant a foot tall. Pkt. 10 cts.

Hybrid Varieties in Wide Mixture. Pkt. 10 cts.

SWEET PEAS

Dainty flowers of surpassing fragrance. Plant early in spring in rich soil, and give the plants support when they reach a height of 8 inches. Provide plenty of moisture in the growing and blooming season.

Spencer's Early Hybrid Mixture. A mixture of the newest and brightest colors. Fine for planting under glass, but also for the garden. Pkt. 10 cts.; oz. 20 cts.; 2 ozs. 35 cts.; 1/4 lb. 60 cts.

Spencer's Late-flowering Mixture. Same form and color range as the Early Mixture, but the plants produce more flowers and on longer stems. Specially selected for late bloom. Pkt. 10 cts.; oz. 15 cts.; 2 ozs. 25 cts.; 1/4 lb. 40 cts.

Special Mix. A good mixture. Pkt. 10 cts.; oz. 15 cts.; 2 ozs. 25 cts.; 1/4 lb. 40 cts.

Let the flowers in your garden symbolize our way of life. Keep 'em blooming!

ZINNIAS

Indispensable where showy, continuous color is wanted in the summer garden. The many types and colors that have been developed provide an almost unlimited range, some of them very desirable for cut-flowers.

Black Ruby. All-America Selection, 1941. Double flowers 1 1/2 to 2 inches across, of rich velvety deep maroon. They make a fine contrast with lighter varieties. Pkt. 15 cts.

California Giants, Mixed. Large flower of compact form, with the petals lying flat. Wide color range. Plant 2 1/2 feet high. Pkt. 10 cts.

Dahlia-flowered, Mixed. Flowers resemble the Show Dahlia in form; wide color range. Plant 2 1/2 feet tall. Pkt. 10 cts.

Fantasy. Blooms 3 inches across, of golden yellow, with very shaggy petals. An extra-fine variety blooming in six to seven weeks from seed. 2 1/2-foot plant. Pkt. 10 cts.

Fantasy, Stardust. All-America Selection, 1937. Informal type with shaggy, deep yellow petals. Pkt. 10 cts.

Pompon or Baby, Mixed. Free-blooming plants 1 1/2 to 2 feet tall, excellent for bedding. Tiny bright-colored flowers. Pkt. 10 cts.

Scabiosa-flowered, Mixed. Tufted center with a collar of wide petals around it. Mixed colors—orange, yellow, dull red, carmine and other shades. Pkt. 10 cts.

Tom Thumb, Mixed. Showy little flowers of red, orange, yellow, pink, and rose, on 4 to 6-inch plants. Excellent for pots, borders, and the rock-garden. Pkt. 10 cts.



Zinnia, California Giant

GENERAL LIST OF ANNUALS

Each, pkt. 10 cts.



Ageratum



Calendula, Double



Poppy, Single Shirley



Phlox, Mixed

African Daisy (Arctotis). Daisy-like flowers from July to frost. Fine for cutting. 2 ft. Special mixture.

Ageratum, Dwarf Compact, Blue Cap. A fine dwarf bedding plant 4 inches high, with heads of lavender-blue flowers. Plant in full sun or half-shade.

A., Blue Perfection. Large heads of deep blue flowers. 9 in.

Alyssum, Sweet. Fragrant masses of pure white bloom. An excellent dwarf plant for borders and window-boxes.

A., Violet Queen. Flowers bright violet, on a 4-inch plant.

Bachelor's Button (Centaurea). Long-stemmed flowers fine for cutting, doing well in any soil. Double varieties, mixed.

Balsam, Rose-flowered. Bushy plant 2 to 3 feet tall, that is easily transplanted. Showy flowers produced in clusters. Plant in rich soil, in a sunny location, and give plenty of water.

Blue Lace Flower (Didiscus). Light lavender flowers from July to frost. Fine for cutting. 1½ ft.

Calendula, Orange Shaggy. Brilliant orange blooms with deeply fringed petals. 1½ ft.

C., Double Varieties, Mixed. Shades of yellow and orange.

Calliopsis bicolor. A daisy-shaped flower that is good for cutting. Yellow, with a garnet eye. 10 in.

Candytuft (Iberis). Fragrant trusses of white bloom. Needs plenty of water.

C., Mixed Varieties. Rose, pink, lilac shades.

Canterbury Bells, Annual. Bell-shaped flowers on long spikes. Mixed colors—pink, blue and white.

Carnation, Chabaud's Giant Double Improved. A fine strain, spicy fragrant. Mixed colors.

Castor Bean (Ricinus). Tropical-looking plants with ornamental foliage. Reaches 6 to 10 feet in height. Mixed varieties.

Centaurea, Jubilee Gem. Cornflower. Double, vivid dark blue blooms on a 12-inch plant fine for edging. Foliage bright green.

Chinese Lantern Plant (Physalis franchetii). Orange-colored lanterns on 2-foot plants.

Chinese Woolflower (Celosia childsi). Glove-shaped heads of flowers on a 2 to 3-foot plant. Mixed colors.

Chrysanthemum, Annual. Double varieties, mixed.

C., segetum. Corn-marigold. Flowers yellow to whitish.

Clarkia elegans. Choice double varieties in a wide range of color. Likes some shade.

Cosmos, Crested. Extra early, beginning to bloom in July. Double; mixed colors. 2½ ft.

C., Mammoth-flowering. Extra early, blooming before frost. Choice mixture. 4 ft.

C., Orange Flare. Single flowers, bright orange in color, produced in July on long stems. 4 ft.

Cockscomb (Celosia cristata). Flat velvety heads of bloom, often cut and dried for winter decoration. Mixed shades.

Coleus, Choice Mixed. Showy foliage plant.

Dianthus, Double, Mixed. Chinese Pink. Large loose flower clusters. Long blooming season.

Dusty Miller (Centaurea). White-foliaged plant for edging.

Everlasting Flowers. To be dried for winter use.

Forget-me-not (Myosotis). Favorite blue-flowered plant fine for use as a ground-cover.

Four o'Clock (Marvel of Peru). Red, yellow, and white, mixed. Erect, bushy plants 2 feet high.

Gaillardia picta. Daisy-like flowers in mixed colors. Grows in any soil. 1½ to 3 ft.

Gédelia, Double Azalea-flowered. Showy flowers in long spikes, in shades of pink, mauve, rose, etc. Dwarf.

Gomphrena. Globe Amaranth. Clover-like heads of flowers in mixed colors. Make nice winter bouquets when dried.

Gypsophila, London Market Improved. Babys-Breath. Large pure white flowers.

Heliotrope (Cherry Pie). Fragrant clusters of bloom in mixed colors—violet, purple and white. Very free flowering.

Honesty (Lunaria). Pink flowers on bushy 2-foot plants, followed by silvery seed-pods which are used in winter bouquets.

Lobelia gracilis. Trailing plant with light blue flowers.

Phlox, Large-flowering Annual Varieties, Mixed. Large heads of bloom in choice colors. Branching plants 1 to 1½ feet tall.

Poppy, Single, American Legion. Orange-scarlet, on long stems.

Poppy, Ramona Strain. Mixed varieties.

Poppy, Double Shirley. Mixed colors. 2½ ft.

Poppy, Single Shirley. Mixed colors; large, silky petals.

Portulaca, Mixed. Sun-plant. Single blooms in bright, cheerful colors. A fine ground-cover for dry sunny places.

Salpiglossis, Mixed. Painted-tongue. Gay funnel-shaped flowers striped with gold, rose, scarlet and white. Plant in full sun. 2 ft.

Salvia, Blue. Flowering Sage. Bedding plant blooming all summer.

S., Scarlet. Looks well when planted in front of masses of dark foliage.

Snow-on-the-Mountain (Euphorbia). Showy foliage plant with masses of green leaves striped with white.

Stock, Large-flowering Ten-Weeks. Dwarf. Spikes of fragrant bloom in mixed colors.

Strawflower. Heads of little flowers often dried for winter decoration.

Venidium fastuosum. Daisy-shaped flower 3 inches across; golden orange, with a brown center. 2 to 3 ft.


Verbena, Large-flowering Hybrids, Mixed. Good bedding plant. 1½ ft.

SELECT PERENNIAL FLOWER SEED

Each, pkt. 10 cts., except as noted

Most hardy perennials grow readily from seed sown in the open ground from May to September. Seedlings should be transplanted after forming three or four leaves. They may be set in their permanent place

and protected lightly the first winter, or they may be wintered over in a coldframe. Many of them will start to bloom before the annuals in the spring. Keep the dead flowers cut off to encourage more bloom.



Columbine, Rocky Mountain

By raising your own plants from seed, you can have a hardy perennial border at little cost. Perennials are the mainstay of the garden, and in these busy days their ease of maintenance is especially appreciated.



Delphinium, Blackmore & Langdon's Strain

Alyssum, Gold Dust. Yellow flowers in May on a 9 to 12-inch plant. For edging and the rock-garden.

Anemone, St. Brigid. Windflower. Double; mixed colors.

Arabis alpina. Rock-Cress. White flowers in April and May. Plant a foot high, for edging and the rock-garden.

Armeria formosa. Dense heads of pink bloom. A rock-garden plant a foot tall.

Candytuft, Queen of Italy. Masses of rosy lilac flowers. Shrubby plant with glossy green foliage.

Canterbury Bells (Cup-and-Saucer). Good border plant. Finest mixed colors.

C., Single Varieties, Mixed. Long spikes of bloom.

Chrysanthemum mawi. Pink flowers and silvery foliage. Border and rock-garden plant a foot tall.

Columbine, Mrs. Scott Elliott's Long-spurred Mixture. A well-known strain.

C., Rocky Mountain. Long-spurred flowers of violet-blue and white. 2 ft.

Coreopsis lanceolata grandiflora. Single yellow flowers on long stems for cutting.

Delphinium, Blackmore & Langdon's Strain. Magnificent spikes of bloom in mixed shades.

D., Mixed Hybrids. Fine for the back of the border.

English Daisy, Double, Mixed. An excellent edging plant for early spring.

Foxglove (Digitalis). Thimble-shaped flowers, spotted inside, hanging on 3 to 4-foot spikes. For the border. Mixed colors.

Gaillardia grandiflora. Large, single, daisy-like flowers in shades of red and bronze. Fine cut-flower from July to frost.

Geum, Lady Stratheden. Large, double golden yellow flowers. 1½ ft.

G., Mrs. Bradshaw. Scarlet. 1½ ft.

Gypsophila paniculata. Double white flowers. 3½ ft.

Hollyhock, Double Varieties, Mixed. A stately old-fashioned favorite for the back of the border. 6 to 9 ft.

H., Single Mixed. A good mixture of colors.

Lupines, Mixed. Graceful spikes of blue and pink flowers. They grow best in rich soil without any lime.

Mexican Firebush (Kochia) or Summer Cypress. Feathery little bushes of green, turning crimson. 2½ ft.

Mignonette (Reseda). Very fragrant; special mixture.

Mourning Bride (Scabiosa). Large flowers on long stems. Fine for cutting from June to September.

Nigella. Love-in-a-Mist. Double, blue and white blooms; feathery foliage.

Painted Daisy (Chrysanthemum carinatum). Mixed colors; flowers 3½ inches across.

Phlox decussata. Brilliant heads of flowers make a colorful display in the hardy border in late summer. 3 ft.

Poppy, Oriental (Papaver orientale). Large, bright blooms in mixed shades.

Pyrethrum. Feverfew. Single and double varieties in mixed colors, in May and June. Plant in rich soil in a sunny location.

Scabiosa, Imperial Giant, Blue Moon. All-America Selection. Double; deep lavender-blue. 3 ft.

S., Peace. All-America Selection, 1941. Beautiful pure white. Pkt. 15 cts.

Shasta Daisy, Conqueror. Pure white blooms freely produced in July. Plant in the sun in rich soil. 3½ ft.

Snapdragon, Rustproof, Mixed. Many colors.

Seeds of Annual Climbers

Each, pkt. 10 cts.

Balloon Vine. A rapidly growing annual climber producing white flowers, followed by inflated seed-pods.

Canary-bird Vine. Small, fringed, bright yellow blooms.

Cathedral Bells (Cobaea; Cup-and-Saucer Vine). Purple and white bell-shaped flowers. Grows as much as 30 to 50 feet in a season.

Cypress Vine. Brilliant scarlet, star-shaped flowers 1½ inches long. Delicate, fern-like foliage.

Kudzu Vine. Rosy purple flowers in August. Large foliage.

Morning-glory, Heavenly Blue. Shining sky-blue flowers.

M., Scarlett O'Hara. Deep old-rose.

M., Imperial. Very large blooms in mixed colors. Sow in the open ground when the weather has become warm.

Scarlet Runner Bean. Bright red, pea-like flowers followed by pods of beans that are red when dry. Rapid grower.



Morning-Glory, Scarlett O'Hara

WETSEL'S CHOICE BULBS AND PLANTS



SELECTED GLADIOLUS

First-Size Bulbs

4 cts. each; 40 cts. per doz.

Albatross. A fine variety with large, pure white flowers, six to eight open at one time. Good for exhibition.

Beacon. Rosy scarlet, with a large cream blotch, making a fine effect. Florets medium size, waved and somewhat ruffled.

Betty Nuthall. Light salmon with pale yellow throat and light tinge of carmine. Long, graceful bloom spikes.

Commander Koehl. Huge spikes of large scarlet-red flowers.

Dr. F. E. Bennett. Deep peach, overlaid red; lip speckled with ruby and white.

Golden Measure. Tall spikes of large, light yellow flowers.

Maid of Orleans. Large white flowers; perfect placement and good stem.

Minuet. Large, lavender flowers.

Paradise. Tall spikes of apricot blooms, with rose lines in throat. Six to eight slightly ruffled flowers open at once.

Pelegrina. A most appealing color—deep blue-violet. Large individual florets, produced early. Very attractive.

Picardy. Soft pink, shading to deeper pink on the lower petals. Very long stems. A popular newer sort.

Vagabond Prince. Shining reddish brown with a splash of vermillion on the lower petals. Medium-sized flowers on a strong spike.

Gladiolus, Wetsel's Dependable Mixture.

3 cts. each; 30 cts. per doz.



DAHLIAS

Blue Jersey. Orchid-lavender. 20 cts. each; \$2.00 per doz.

Fort Monmo th. Deep maroon with violet petal tips. 30 cts. each; \$3.00 per doz.

Francis Larocco. Long-stemmed yellow variety. 15 cts. each; \$1.50 per doz.

Jane Cow. Buff and old-gold, blending darker toward the center. 20 cts. each; \$2.00 per doz.

Jersey's Beacon. Chinese red. 15 cts. each; \$1.50 per doz.

Jersey's Beauty. Clear pink; long, stiff stems. 10 cts. each; \$1.00 per doz.

Marshall's Pink. Perfectly formed bright pink blooms without shading. 20 cts. each; \$2.00 per doz.

Omar Khayyam. Chinese red at base of petals, shading to orange at tip. 20 cts. each; \$2.00 per doz.

Red Jersey. Has same habit as Jersey's Beauty. 30 cts. each; \$3.00 per doz.

Sagamore Gold. Deep orange color, with golden cast. 20 cts. each; \$2.00 per doz.

Star of Bethlehem. Pure white. Semicactus type. 35 cts. each; \$3.50 per doz.

Thomas A. Edison. Deep royal purple; grand and striking. 30 cts. each; \$3.00 per doz.

White King. A good white decorative Dahlia of large size on strong stems. 20 cts. each; \$2.00 per doz.



CANNAS

Hungaria. Rich peach-blossom in color. Plants dwarf; green foliage.

King Humbert, Red. Flowers coppery scarlet. Foliage deep bronze.

King Humbert, Yellow. Flowers golden yellow, dotted red. Foliage green.

Richard Wallace. Pure canary-yellow.

The President. Immense glowing scarlet blooms. Rich green foliage.

Your choice of these 5 varieties, 7 cts. each; 65 cts. per doz.

TUBEROSE

Double Pearl. Fragrant, pure white flowers. Tubers are extra large and the finest stock obtainable. 5 cts. each; 50 cts. per doz.

DORMANT ROSE PLANTS

Sixteen Varieties at Our Store

Beginning about March 15, we shall have at our store many varieties, wrapped separately and labeled. These Roses will be available for about four weeks. Come in early, get the plants and set them in the garden. While all of the plants are No. 1 grade, we cannot guarantee them to bloom the first season.

Ask for Prices
We Do Not Prepay Postage or Express Charges



Tuberose, Double Pearl

Help YOUR FLOWERS HOLD UP THEIR HEADS

Globe PATENTED METAL PLANT PROPS

All heights shown are overall. Deduct 4" from 16" size and 6" from all other sizes for net height.

6" 4" 3" 16"

BAKED GREEN ENAMEL FINISH

PLANT PROPS

16-inch, 40 cts. per doz.

30-inch, 75 cts. per doz.

42-inch, \$1.20 per doz.


WETSEL'S MODERN POULTRY SUPPLIES

Warner Electric Brooder


Carefully made—rigid, durable, easily assembled. Properly ventilated. Floor always dry. Fabric curtain admits air, but excludes drafts. Enclosed switch-box avoids fire hazards. Economical operation—as low as 6 cents a day. Allows 7 sq. in. or more for each chick.

Capacity Price

No. 500-D. DeLuxe Warner	500	\$31.60
No. 500-SM. Warner	500	29.56
No. 500-S. Standard Warner	500	28.35
No. 400-S. Standard Warner	400	20.25
No. VB-40. Chick Saver	200	8.95




Feeder



No. 749. 48-in. Hudson Reel-Top Feeder \$1.40

Egg Scales



Acme \$2.25
Mascot 1.15

Cyclone Float-Valve Fountain



No. 5. 5-gal. \$2.26

Guaranteed Float Valve

This Cyclone Float Valve is guaranteed to wear and give trouble-free service for the entire life of the Fountain. Extra-heavy galvanized metal, carefully formed, seamed and soldered into perfect shape, embodying such features as:

Cone-shaped perch-proof top; inner carrying handle; Hi-Lo stand; perfect water control, with guaranteed valve, and quickly cleaned drinking pan.

Cyclone Fountain Complete with Hi-Lo Stand

No. 303-S. 3-gal. Fountain \$1.59
No. 305-S. 5-gal. Fountain 2.08
No. 10. 10-gal. Float Fountain 2.95

Nest Eggs

24 cts. per doz.



A section of our store showing Spray Materials, Poultry Supplies and Remedies, Garden Fertilizer and Equipment. In foreground is an automatic seed-packet filler and sealer. Only two other seed firms between Philadelphia and Atlanta, Ga., are equipped with an automatic filler.

WETSEL'S MODERN POULTRY SUPPLIES, continued

Leg Bands



6 sizes—10 colors

	50	100
No. 9. Leghorn.....	\$0 20	\$0 35
No. 11. Rocks and Reds.....	25	45
No. 12. Asiatic.....	30	55
No. 14. Turkey, Hen.....	35	65
No. 16. Turkey, Tom.....	40	75


Automatic Electric Water Warmer




This electric Water Warmer automatically keeps poultry drinking water 50 degrees F. in coldest weather. Low operating cost.

No. 202. Electric Water Warmer... \$2 25

Improved Vio-Ray Cloth



The glass substitute that lasts longer, is more flexible, more moisture-proof than any other material. Admits ultra-violet sun rays. Use Vio-Ray for same purpose as Cel-O-Glass. Genuine Vio-Ray is branded along edge. 30 cts. per sq. yd.



Withstands sun, wind, rain, snow. No glass cutting, no putty; just cut to size with shears and nail down with wood strips. May be purchased in any desired lengths. 45 cts. per sq. yd.; 50-ft. roll \$7.25.

Cel-O-Glass

For poultry-houses, coldframes, hotbeds, dairy farms, hog-houses. Now guaranteed 5 years. Width, 24 in. 13 cts. per sq. ft.; 78 cts. per yd.

Window Fabric

Same as Vio-Ray, except that it is made of lighter material. 24 cts. per sq. yd.

Walko Tablets

Give Walko Tablets in all drinking water for the first two weeks and you won't lose one chick where you lost dozens before. 50 cts. and \$1.00.

C-A Worm Capsules

For Chickens and Turkeys

Kills large roundworms and tapeworms in one treatment. Easy to use. Low in cost. No. 195. Box of 50..... \$0 70
No. 196. Box of 50 (for adults)..... 80

Nema Capsules

For Sheep, Hogs, Dogs, Etc.

No. 189. Box of 50..... \$1 20
No. 190. Box of 50..... 1 35

PTZ Products

New Worm Treatment for Farm Animals


Available in pellets, powder and drench. Is becoming extremely popular.

Pellets, Small, 8 grams, 4½ cts. each.
Large, 13½ grams, box of 50, 6 cts. each, loose 5 cts. each.
Powder. 4 ozs. 60 cts.; lb. \$1.30; 5 lbs. \$6.15; 10 lbs. \$11.75; 25 lbs. \$27.80.
Drench. Pt. \$1.50; qt. \$2.90; ½ gal. \$5.40; gal. \$9.95; 5 gals. \$43.90.



We carry a complete line of Dr. Salsbury's medicine and biologics. This is now the leading line of poultry remedies.

BLACK LEAF 40




WORKS WHILE THEY ROOST

A Fine Disinfectant

An easy, inexpensive poultry-louse controller.

Oz.....	\$0 33	2 lbs.....	\$3 45
5 ozs.....	1 00	5 lbs.....	6 70
Lb.....	2 35	10 lbs.....	10 90

Wire Egg-Basket



No. 114..... \$0 78



3 Sizes—50 cts., \$1.00, \$2.50

4-oz. bottle	\$0 30
10-oz. bottle	50
32-oz. bottle	90
1-gal. jug	2 00
5-gal. jug	8 50
Powder.....	75 cts. and 1 50



Price 95 cts.



(KREME SKIN)

A NEW AND BETTER GARDEN GLOVE

Washable, durable and keeps the hands soft. Sizes for men and for women. \$1.00 per pair; \$1.10 per pair, postpaid.

SWAGGERETTES

The Handiest Glove Ever Made

All the advantages of rubber gloves but none of the disadvantages. A more comfortable, more useful, more durable household glove—dirt-proof, water-proof—snag-proof—easy to slip on and off. That's Swaggerettes, the handiest gloves ever made. Made of Latex-coated fabric, Swaggerettes have hundreds of uses in home and garden. 49 cts.


THOMPSON'S VITAMIN B₁ PELLETS

AND SHAKE-A-DROP BOTTLE

For Your Garden

Makes 2000 gals. solution
100 pellets (1 milligram each), \$1.00
Each pellet makes 20 gallons of
B-1 solution at a cost of only 1 ct.

WETSEL'S SPRAY MATERIALS



Arsenate of Calcium. Use as a dust or spray to control chewing insects on potatoes and vegetables. Recommended to orchardists for late spraying where apples are not washed. Lb. 20 cts.; 4 lbs. 35 cts.; case lots, 32 cts. per lb.

Arsenate of Lead. (Sherwin-Williams.) The standard insecticide for controlling chewing insects on shrubs, vegetables, flowers, fruit, shade trees. Leaves a heavy, evenly distributed deposit, giving effective control of chewing insects. Lb. 25 cts.; 3 lbs. 40 cts.; case lots, 13 cts. per lb.



Arsenate of Magnesium. The recommended control for bean beetle. Lb. 30 cts.; 2 lbs. 55 cts.



Basi-Cop. (Sherwin-Williams.) Can be used wherever Bluestone is used. 99 per cent pure and contains 52 per cent metallic copper. The powder form is twice as strong as Bluestone and is especially recommended for blight on potatoes and cucumbers. Lb. 20 cts.; 5 lbs. 95 cts.; 50 lbs., 18 cts. per lb.



TRI-OGEN Reg. U. S. Pat. Off. The all-purpose spray

A triple spray treatment especially recommended as a rose-garden spray for complete protection against plant diseases and insects. Offered in highly concentrated form in three sizes. Small Kit \$1.50; Medium Kit \$4.00; Large Kit \$6.00.

Roto-Dust. (Sherwin-Williams.) Roto-Dust will kill most common insects, yet it is harmless to human beings and animals. A double-acting, non-poisonous insecticide that acts as a contact and stomach poison. The best Mexican bean beetle dust yet introduced. Lb. 30 cts.; 4 lbs. 60 cts.; 25-lb. bag \$3.10.



Bordeaux Mixture. The recognized preventative for most fungous diseases. Lb. 25 cts.; 4 lbs. 60 cts.

Bluestone (Copper Sulphate or Blue Vitriol). A fungicide used for blight, fungus, and bitter rot on fruit. Ask for prices.

Black-Leaf "40."

A concentrated nicotine solution for aphid, thrip and red spider. Oz. 33 cts.; 5 ozs. \$1.00; 1 lb. \$2.35; 2 lbs. \$3.45; 5 lbs. \$6.70; 10 lbs. \$10.90; 50 lbs., ask for price.



Scram Dog Repellent. New type dog repellent in powder form. Used as spray or dust around lawns, shrubs or buildings. Leaves an odor scarcely noticeable to humans but not to dogs. 8-oz. can 50 cts.

G. & O. Crow Repellent.

Keeps crows, larks, starlings, blackbirds, pheasants and other corn-pulling birds from molesting corn while it is germinating, sprouting, and rooting. Saves seed, loss, and labor of replanting. Will not clog any planter.

1/2pt. (1-bus. size)	\$0.30
1 pt. (2-bus. size)	50
1 qt. (4-bus. size)	75



Rota Spra. Lb. 65 cts.; 4-lb. bag \$2.00.

Sulphur, Mulsoid. High-grade wettable Sulphur, 98 per cent pure. An excellent spray for the control of scab and brown rot and does not russet or burn. 6 lbs. 50 cts.; case, 8 cts. per lb.

Sulphur. Fine powdered dusting Sulphur for mildew and fungous diseases on flowers. Lb. 10 cts.; 5 lbs. 45 cts.; 25 lbs., 8 cts. per lb.; 100 lbs. \$5.00.

Paradichlorobenzene (Peach Borer Gas). For peach-tree borers. Lb. 20 cts.; 5 lbs. 90 cts.; 100 lbs., 15 cts. per lb.; 200-lb. drum, 14 cts. per lb.

Paris Green. Used as a spray, controls potato bugs and similar insects. 1/4lb. 15 cts.; 1b. 45 cts.

Peach Dust. Controls chewing insects and used as a dust. Lb. 10 cts.; 10 lbs. 90 cts.



Pest-destroy. An effective Sherwin-Williams combination spray consisting of Bordeaux mixture and arsenate of lead. Recommended for control of fungous diseases and chewing insects. 1/2lb. 20 cts.; lb. 30 cts.; 4 lbs. 80 cts.

20-20-60 Dust. An insecticide and fungicide spray or dust for control of all chewing insects, including Mexican bean beetle. Lb. 10 cts.; 5 lbs. 45 cts.; 50-lb. bag \$4.00; 100-lb. drum \$8.45.

NEW EVER GREEN SPRAY


A non-poisonous insecticide that destroys a great number of chewing and sucking insects. Oz. 35 cts.; 6 ozs. \$1.00.

Kolotex. Natural color Massey formula dusting sulphur. Contains 10 per cent arsenate of lead. Fine for dusting roses and other flowers. Lb. 15 cts.; 5 lbs. 60 cts.; 25 lbs. \$2.50.

Lime and Sulphur (Dry). The only true dry Lime and Sulphur in powdered form made from liquid lime and sulphur. Add the water and you have the liquid. Lb. 25 cts.; 12 1/2 lbs. \$1.15; 200 lbs., 8 1/2 cts. per lb.

Lime. A high-grade Lime for spraying purposes. 10 lbs. 15 cts.; 50 lbs. 35 cts.

Naga. For controlling grub worm, etc., on lawns and golf courses. Use 1 lb. to 200 square feet. Lb. 25 cts.; 100 lbs. \$13.00.



Red Arrow. For chewing and sucking insects. Recommended for Mexican bean beetle, cucumber beetle, cabbage and tomato worms, etc. Oz. 35 cts.; 4 ozs. 90 cts.

Sunoco Spray Oil. For control of scale and insects on trees, shrubs, and coniferous evergreens. Pt. 15 cts.; qt. 25 cts.; 1/2gal. 50 cts.; gal. 85 cts.; 5 gals., 75 cts. per gal.

Tobacco Dust. Finely ground for dusting. 2-lb. pkg. 20 cts.; 10 lbs. 60 cts.; 100-lb. bag \$3.50.

Potato Blight and Bug Killer. Sherwin-Williams Potato Spray is efficient and economical. Use it for control of potato blight, Colorado potato beetles, Mexican bean beetles, and other chewing insects as well as fungous diseases. Combination of arsenate of calcium and Bordeaux mixture; will keep plants healthy and vigorous. Lb. 25 cts.; 3 lbs. 40 cts.; 48 lbs. \$6.00.



BLUE DRAGON


A rotenone dust superior, which is highly effective in controlling most insect pests. Can be used either as liquid spray or by dusting on the plant. Non-poisonous—harmless to humans and domestic animals. Will not burn tender foliage. Lb. 20 cts.; 4 lbs. 60 cts.; 25 lbs. \$2.75; 100 lbs. \$10.50.

SPRAYERS AND DUSTERS



Hudson Pressure Sprayers

No. 192-G. Leader, 3½ gal. Galv....\$3.85
No. 192-B. Leader, 4 gal. Brass....6.95



Hand Sprayers

No. 440. Handy Qt. Tin.....	\$0.30
No. 431. Comet Qt. Tin.....	60
No. 222. Vapor ¾ Pt. Tin.....	25
No. 427-G. Critic Qt. Glass.....	90
No. G-3½. Emerald ½ Pt. Glass.....	20



Hanco Sprayer

Here's the efficient good-looking, easy-to-use Sprayer you want at the down-to-earth price you want to pay! Sprays up, down, sideways without adjustment. No leaks or drips to wet hands or stain clothing. \$2.35.

Dusters

Smith Dustmaster, 1 qt. glass.....\$1.25
Hudson Crank Duster, No. 608...14.00

F.O.B. Harrisonburg

We carry large stock and full assortment of KERR GLASS JARS for packing Vegetables and Fruits

INDEX

Page	Page	Page	Page	Page	Page	Page	Page	Page	Page	Page	Page
Ageratum.....26	Centaurea.....26	Fertilizer Spreader.....30	Naga.....31	R-U-Lite.....30	Rutabaga.....20	Sage.....26	Scabiosa.....27	Scotch Soot.....3d Cov.	Seed Inoculations.....11	Semesan.....11	Sheep Manure.....3d Cov.
Alfalfa.....1	Ceresan.....11	Fescue.....3d Cov.	Nasturtiums.....25	Gladiolus.....30	Okra.....18	Salpiglossis.....26	Scallions.....26	Spray Materials.....31	Staleymone.....27	Snapdragon.....27	Snow-on-the-Mountain.....26
Alyssum.....26,27	Cherry Pie.....26	Forget-me-not.....26	Nema Capsules.....30	Globe Amaranth.....26	Onion Plants.....22	Salsify.....20	Soybeans.....6	Sprayers.....32	Stock.....26	Strawflower.....26	Spinach.....20
Ammonium Sulphate.....3d Cov.	Chrysanthemum.....26,27	Fountains.....29	Nest Eggs.....29	Gloves.....30	Onions.....19	Salvia.....26	Sugar Cane.....5	Squash.....20	Staleymone.....26	Tomato.....21	Thermometers.....29
Anemone.....27	Clarkia.....26	Four o'Clock.....26	Nierembergia.....24	Godetia.....26	Onion Sets.....19	Scarlet Runner Bean.....27	Sulphur.....31	Staleymone.....27	Tri-Ogen.....31	Turnips.....21	Thermostats.....29
Arabis.....27	Cleome.....24	Foxglove.....27	Nigella.....27	Gomphrena.....26	Oats.....3	Scotch Soot.....3d Cov.	Sunoco Spray Oil.....31	Staleymone.....27	Tuberose.....28	Venidium.....26	Tin Cans.....32
Arctotis.....26	Clover.....2,3d Cov.	Gaillardia.....26,27	Nitragin.....11	Grasses.....4	Okra.....18	Seed Inoculations.....11	Sweet Peas.....25	Stock.....26	Vetch, Hairy.....5	Verbena.....26	Tobacco Dust.....31
Armeria.....27	Cobaea.....27	Geum.....27	Nitrate of Soda.....3d Cov.	Gypsophila.....26,27	Onion Plants.....22	Semesan.....11	Swiss Chard.....14	Staleymone.....26	Vigor.....3d Cov.	Vio-Ray Cloth.....30	Tobacco Seed.....21
Arsenate of Calcium.....31	Cockscomb.....26	Gladiolus.....28	Oats.....3	Heliotrope.....26	Onions.....19	Thermometers.....29	Waino Tablets.....30	Stock.....26	Vitamin B ₁ Pellets.....30	Walko Tablets.....30	Watermelon.....21
Arsenate of Lead.....31	Coleus.....26	Globe Amaranth.....26	Hollyhock.....27	Honesty.....26	Onion Sets.....19	Thermostats.....29	Watermelon.....21	Staleymone.....26	Woolflower, Chinese.....26	Worm Capsules.....30	Window Fabric.....30
Arsenate of Magnesium.....31	Collards.....17	Gloves.....30	Horn Sower.....2	Horn Sower.....2	Oats.....3	Tin Cans.....32	Water Warmer.....30	Worm Capsules.....30	Zinnias.....25	Zinnias.....25	Windflower.....27
Asparagus.....12	Columbine.....27	Godetia.....26	Hotkaps.....22	Iberis.....26	Okra.....18	Tobacco Dust.....31	Woolflower, Chinese.....26	Zinnias.....25	Zinnias.....25	Zinnias.....25	Worm Capsules.....30
Asters.....24	Coreopsis.....27	Gomphrena.....26	Kale.....17	Kochia.....27	Onion Plants.....22	Yarrow.....26	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Baby's-breath.....26	Corn, Broom.....5	Grasses.....4	Kohlrabi.....17	Lobelia.....26	Pansies.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Bachelor's Button.....2	Corn, Seed.....7-9	Gypsophila.....26,27	Kolokoty.....31	Lobelia.....26	Papaver.....27	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Balloon Vine.....27	Cornflower.....26	Heliotrope.....26	Lolobaria.....17	Mallow.....26	Paradichlorobenzene.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Balsam.....26	Corn-Marigold.....26	Hollyhock.....27	Lovellia.....26	Mallow.....26	Paris Green.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Barley.....1	Corn, Pop.....16	Honesty.....26	Lovellia.....26	Mallow.....26	Parsley.....19	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Basi-Cop.....31	Corn, Sweet.....16	Horn Sower.....2	Lovellia.....26	Mallow.....26	Parsnip.....19	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Beans.....12,13	Cosmos.....23,24,26	Hotkaps.....22	Lovellia.....26	Mallow.....26	Peach Dust.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Beets.....14	Cow Manure.....3d Cov.	Iberis.....26	Kale.....17	Kochia.....27	Peas.....19	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
B-K.....30	Cowpeas.....5	Kale.....17	Kohlrabi.....17	Lobelia.....26	Peat Moss.....3d Cov.	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Black-Leaf 40.....30,31	Crow Repellent.....9,31	Kochia.....27	Kohlrabi.....17	Mallow.....26	Peppers.....20	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Blood Meal.....3d Cov.	Cucumber.....17	Lobelia.....26	Kolokoty.....31	Lawn Grasses.....3d Cov.	Pestroy.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Blue Dragon.....31	Cup-and-Saucer.....27	Mallow.....26	Lovellia.....26	Leg Bands.....30	Petrosim.....23,25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Blue Lace Flower.....26	Cup-and-Saucer Vine.....27	Mallow.....26	Lovellia.....26	Lespedeza.....3	Phlox.....26,27	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Bluestone.....31	Cyclone Seeder.....2	Mallow.....26	Lovellia.....26	Lettuce.....18	Physalis.....26	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Bone Meal.....3d Cov.	Cypress Vine.....27	Mallow.....26	Lovellia.....26	Lime.....31	Plant Props.....28	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Bordeaux Mixture.....31	Dahlias.....28	Mallow.....26	Lovellia.....26	Lime and Sulphur.....31	Plant Tabbs.....3d Cov.	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Borecole.....17	Daisy.....26	Mallow.....26	Lovellia.....26	Lobelia.....26	Poppy.....26,27	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Broccoli.....14	Daisy, English.....27	Mallow.....26	Lovellia.....26	Lobelia.....26	Portulaca.....26	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Brooders.....29	Daisy, Painted.....27	Mallow.....26	Lovellia.....26	Lobelia.....26	Potatoes, Seed.....22	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Brussels Sprouts.....14	Daisy, Shasta.....27	Mallow.....26	Lovellia.....26	Lobelia.....26	Potato Spray.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cabbage.....15	Delphinium.....27	Mallow.....26	Lovellia.....26	Lobelia.....26	Poultry Supplies.....29,30	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cabbage, Chinese.....15	Dianthus.....26	Mallow.....26	Lovellia.....26	Lobelia.....26	PTZ Products.....30	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cabbage Plants.....22	Didiscus.....26	Mallow.....26	Lovellia.....26	Lobelia.....26	Pumpkin.....20	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Calendula.....26	Digitalis.....27	Mallow.....26	Lovellia.....26	Lobelia.....26	Pyrithrum.....27	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Calliopsis.....26	Dill.....17	Mallow.....26	Lovellia.....26	Lobelia.....26	Radish.....20	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Canary-bird Vine.....27	Dog Repellent.....31	Mallow.....26	Lovellia.....26	Lobelia.....26	Rape.....5	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Candytuft.....26,27	Dusters.....32	Mallow.....26	Lovellia.....26	Lobelia.....26	Red Arrow.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cannas.....2	Dusty Miller.....26	Mallow.....26	Lovellia.....26	Lobelia.....26	Reseda.....27	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Canterbury Bells.....26,27	Egg-Basket.....30	Mangel-Wurzel.....14	Millett.....5	Millett.....5	Rhubarb.....20	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Carnation.....26	Eggplant.....17	Marigold.....23,24	Millett.....5	Millett.....5	Ricinus.....26	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Carrots.....15	Egg Scales.....29	Marvel of Peru.....26	Millett.....5	Millett.....5	Rock-Cress.....27	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Castor Bean.....26	Elmo Cloth.....30	Mignonette.....27	Millett.....5	Millett.....5	Romaine.....18	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cathedral Bells.....27	Endive.....17	Millett.....5	Millett.....5	Millett.....5	Roses.....28	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cauliflower.....15	Euphorbia.....26	Millett.....5	Millett.....5	Millett.....5	Rota-Spray.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Celeriac.....15	Ever Green.....31	Mourning Bride.....27	Millett.....5	Millett.....5	Roto-Dust.....31	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Celery.....16	Everlasting Flowers.....26	Mourning Bride.....27	Millett.....5	Millett.....5	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Cel-O-Glass.....30	Feeders.....29	Mustard.....18	Millett.....5	Millett.....5	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25
Celosia.....26	Fertilizers.....3d Cov.	Myosotis.....26	Millett.....5	Millett.....5	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25	Zinnias.....25

THE WETSEL SEED CO., Harrisonburg, Va.

ORDER SHEET

WETSEL SEED COMPANY, Inc.

HARRISONBURG , VIRGINIA

Name _____ Date _____ 194

Street, R.F.D. or P.O. Box _____

Post Office _____ *State* _____

Send by _____ *on* _____ 194 *to Station or Express*
(Parcel Post, Express or Freight) (Shipping Date) (Only if different from Post Office)

WETSEL'S Famous LAWN GRASSES


"THE BEST FOR VIRGINIA"



WETSEL'S LAWN GRASS HOW TO MAKE A LAWN

Lawn grass may be sown either in March or April, or in September or October. One pound of seed will plant 300 to 400 square feet. Dig the ground to a depth of 6 inches, making it fine and smooth. Work fertilizer (Vigoro is recommended) into the soil at the rate of 4 pounds to 100 square feet, and rake it until smooth. Broadcast the seed thickly, half one way and half the other; cover it lightly and roll the soil to provide a firm seed-bed. Cut the grass when it is 2 inches high, and continue to mow it regularly. Water it generously twice a week if possible, but never merely *sprinkle* it with the hose, for this practice brings the grass roots to the surface of the ground where they are easily burned out by the hot summer sun. Remove all weeds as they appear and sow more grass seed in their place. For lasting results give the lawn a good application of fertilizer in the fall and spring.

If ordering grass seed by mail, add 10 cents for the first pound and 1 cent extra for each additional pound.



Wetsel's Shady Lawn Grass

Few grasses thrive in shade. Our special mixture is composed of dwarf grasses especially adapted to shady places under trees and around the house. Under trees apply a double quantity of fertilizer and water more frequently. Lb. 40 cts.; 5 lbs. \$1.90; 10 lbs. \$3.60; 25 lbs. \$8.75.

Wetsel's Park Lawn Grass

A popular low-priced mixture especially recommended for late sowing, as it contains a mother crop which will help it through the summer. Lb. 25 cts.; 5 lbs. \$1.10; 10 lbs. \$2.10; 25 lbs. \$5.00.

Kentucky Blue Grass

Basis of most lawn grass. 21-lb. seed. Lb. 25 cts.; 5 lbs. \$1.15.

Chewing's Fescue

Dark green leaves; forms dense turf. Permanent in most places and good in shade. Purity 85 per cent. Lb. 55 cts.

GARDEN and LAWN FERTILIZERS

Aluminum Sulphate. For souring soil. Lb. 10 cts.; 5 lbs. 40 cts.; 25 lbs. \$1.50; 100 lbs. \$4.50.

Ammonium Sulphate. A readily soluble nitrogenous fertilizer. Lb. 6 cts.; 5 lbs. 25 cts.; 25 lbs. \$1.00; 100 lbs. \$2.75.

Blood Meal. A quickly available, long-lasting organic fertilizer. Lb. 8 cts.; 25 lbs. and over, 6 cts. per lb.; 100 lbs. \$5.50.

Bone Meal. A safe, effective fertilizer for all purposes. Especially good for roses, lawns, and flowering shrubs. Lb. 4 cts.; 25 lbs. and over, 3½ cts. per lb.; 100-lb. bags \$2.75; 500 lbs., \$2.65 per 100 lbs.

Cow Manure (Pulverized). A natural fertilizer dehydrated to kill all weed seeds. Especially good for perennials and roses. 50 lbs. \$1.40; 100 lbs. \$2.50; 500 lbs., \$2.40 per 100 lbs.

Land Plaster. Used as a fertilizer or soil conditioner and insecticide. Ask for prices.

Nitrate of Soda. Used when quick action is desired. Ask for prices.

PlanTabbs. Concentrated fertilizer in tablet form suitable for potted plants. 30 tablets 25 cts.; 75 tablets 50 cts.; large-size box \$1.00.

Scotch Soot. Used to produce good color and effective against grubs, worms and other soil insects. 10 lbs. 75 cts.; 25 lbs. \$1.50; 50 lbs. \$2.75; 100 lbs. \$5.00.

Sheep Manure. One of the most widely used and safest animal manures in the growing of flowers and vegetables. 5 lbs. 25 cts.; 10 lbs. 45 cts.; 25 lbs. 80 cts.; 50 lbs. \$1.40; 100 lbs. \$2.50; 500 lbs., \$2.40 per 100 lbs.

Vegetable Garden Fertilizer, 5-10-5. The ideal potato fertilizer. Also properly balanced so that it may be used with excellent results for entire vegetable garden. Lb. 3 cts.; 100 lbs. \$1.85; 500 lbs., \$1.75 per 100 lbs.; ton \$34.00.

Utility Fertilizer. Analysis 4-12-4. One of the most popular fertilizers for truck gardens and farms. Prices same as 5-10-5.

VIGORO

The *SQUARE MEAL* that assures rich BEAUTY in Lawns and Flowers

Equally effective on flowers, shrubs, trees, and vegetables. It is clean, odorless, sanitary, and easy to use—by far your best buy in plant-food. It is especially recommended for use on lawns. Only 4 pounds is necessary to feed 100 square feet.

For maximum growth, grass needs 11 different food elements from the soil. Vigoro, the complete plant-food, supplies all 11 needed elements in balanced proportions. It encourages a mass of deep foraging roots and a top-growth so thick it helps check the weeds! And only 4 pounds of Vigoro to 100 square feet makes a complete feeding.

Lb. 10 cts.; 5 lbs. 50 cts.; 10 lbs. 80 cts.; 25 lbs. \$1.50; 50 lbs. \$2.50; 100 lbs. \$4.00.



Granulated Peat Moss

An excellent medium to improve the texture of soil; heavy clays are lightened and made more porous, while sandy soils are aided in retaining moisture. A splendid mulching material for roses, shrubs, and other plants. ½ bale \$1.75; bale \$3.25.

**WETSEL'S
SEEDS** ARE
AVAILABLE AT MANY
. . STORES AND . .
FARM SUPPLY HOUSES
OVER A WIDE AREA

★
See Your Local Dealer

U. S. DEPARTMENT OF AGRICULTURE,

WASHINGTON, D. C.

BUREAU OF PLANT INDUSTRY
Fruit and Vegetable Crops and Diseases


• P. O. 8-3591



BEET, Detroit Dark Red
Pkt. 10 cts.; oz. 15 cts.



CARROT, Imperator
Pkt. 10 cts.; oz. 25c.



CORN, Ioana
Lb. 35 cts.; 2 lbs. 55 cts.



BEANS, Dwarf Ky. Wonder
Lb. 35 cts.; 2 lbs. 65 cts.




RADISH, Saxa
Pkt. 10 cts.; oz. 15 cts.




Food for Victory Plant Twice as Much

By planting more vegetables this year you can both take care of your own needs and render your country a service. For this year we are being urged to be self-sufficient and thus save food for our allies and our fighting men, as well as transportation facilities and the vital metal, tin. Plant as you never planted before! Every seed will work for you if you make sure it is Wetsel seed.



LETUCE, Imperial 44
Pkt. 10 cts.; oz. 20 cts.



PEAS, Early Bird
Lb. 25 cts.; 5 lbs. \$1.15



TOMATO, Marglobe
Pkt. 10 cts.; oz. 25 cts.



SPINACH, Bloomsdale
Pkt. 10 cts.; oz. 15 cts.

WETSEL SEED CO., Inc. • Harrisonburg, Virginia

